Excel Enbeam IP55 Fibre Access Terminal Box Unloaded up to 24x LC Dup. or 24x SC Sim. Adaptors

Part Code: 208-173

sales@excel-networking.com
excel-networking.com



Main Features

- / Designated splitter area
- / Lockable
- / RoHS
- / IP55 Rated
- / Accepts both SC Simplex Adaptors and LC Duplex Adaptors
- / 25 Year system warranty

Product Overview

The Excel Enbeam IP55 Fibre Access Terminal Box has been designed to house up to 24 SC simplex or 24 LC duplex connections within an IP55 rated housing. Suitable for internal and external applications with branch off cable entry, the hinged splice tray offers the ability to house plc splitters and up to 48 fusion splices.

Product Specifications

Feature	Values

This data sheet was generated at 5:43am 17th November 2026 and is subject to change at any time.

Surface mounted	**yes**
With couplers	**no**
Suitable for number of couplers	**24**
Suitable for type of fibre	**Multi mode/single mode**
IP-rating	**IP55**
Ambient temperature	**-40...60 °C**
Width	**237 mm**
Height	**317 mm**
Depth	**101 mm**

Additional specifications

Features	Values
Capacity	**up to 48 Fibres using LC Duplex / 24 using SC simplex**
Weight	**6 kgs**
Material	**ABS**
Colour	**Grey RAL 7035**
Entry Cable Diameter	**10.35mm to 13.05mm**
Humidity	**93% at 40 Degrees C**
Air Pressure	**62kPa – 101kPa**

This data sheet was generated at 5:43am 17th November 2026 and is subject to change at any time.


sales@excel-networking.com
excel-networking.com

Included accessories


Accessories	Quantity
Splice protectors	**24**
Nylon cable tie	**10**
sealing plugs	**24**
Wall fixings (sets)	**1**

Product drawing

Dimensions
317mmx 237mmx101mm



Installation Dimensions
274mm x 206mm(187mm)



Part Code Table

Part Code	Description
208-173	**Excel Enbeam IP55 Fibre Access Terminal Box Unloaded up to 24x LC Dup. or 24x SC Sim. Adaptors**
208-174	**Excel Enbeam IP55 Fibre Access Terminal Box with 12x SC/APC Simplex Adaptors**
208-175	**Excel Enbeam IP55 Fibre Access Terminal Box with 24x SC/APC Simplex**

This data sheet was generated at 5:43am 17th November 2026 and is subject to change at any time.

	Adaptors
208-176	**Excel Enbeam IP55 Fibre Access Terminal Box with 12x Singlemode SC/UPC Simplex Adaptors**
208-177	**Excel Enbeam IP55 Fibre Access Terminal Box with 24x Singlemode SC/UPC Simplex Adaptors**
208-178	**Excel Enbeam IP55 Fibre Access Terminal Box with 12x OM3 SC/UPC Simplex Adaptors**
208-179	**Excel Enbeam IP55 Fibre Access Terminal Box with 24x OM3 SC/UPC Simplex Adaptors**
208-180	**Excel Enbeam IP55 Fibre Access Terminal Box with 12x OM4 SC/UPC Simplex Adaptors**
208-181	**Excel Enbeam IP55 Fibre Access Terminal Box with 24x OM4 SC/UPC Simplex Adaptors**

This data sheet was generated at 5:43am 17th November 2026 and is subject to change at any time.