

Excel Enbeam 12 LC Duplex (24 Fibres) Multimode DIN Rail Box Beige

Item Code: 208-217

excel
without compromise.



✕ 24 way Splice Bridge

✕ Multiple cable entry points

✕ Accepts LC Duplex or SC Simplex adapters

✕ Integrated FRP tie points

✕ DIN or wall mountable

✕ RoHS, Reach compliant

✕ UL-94-VO

Product Overview

The Enbeam DIN rail box has been designed to be wall or DIN rail mounted with the capacity to hold 12 to 24 fibres. The flexibility to use either tight buffered and loose tube makes this enclosure suitable for multiple applications. The hinged splice tray platform allows full and easy access to connections and enables storage of excess fibre whilst maintaining the correct bend radius.

Product Specifications

| Feature | Values |
|---------------------------------|-------------|
| Surface mounted | yes |
| Type of connector | LC duplex |
| With couplers | yes |
| Suitable for number of couplers | 12 |
| Suitable for type of fibre | Multi mode |
| Outlet direction | Straight |
| With dust cover | yes |
| IP-rating | IP20 |
| Ambient temperature | -20...85 °C |
| Width | 180 mm |

Excel Enbeam 12 LC Duplex (24 Fibres) Multimode DIN Rail Box Beige

Item Code: 208-217



| | |
|--------|--------|
| Height | 180 mm |
| Depth | 40 mm |

Additional specifications

| Features | Values |
|----------------------|-----------------|
| Capacity | 12 to 24 fibre |
| Material | 1.2 mm SPCC |
| Colour | RAL 9005 |
| Cable entry points | 2 x 20 mm |
| Entry Cable Diameter | 6 mm to 12.8 mm |
| Weight | 1.06 kg |

Included accessories


| Accessories | Quantity |
|-------------------------|----------|
| Din mounting bracket | 2 |
| M20 Compression gland | 1 |
| 24 way splice bridge | 2 |
| Mounting twist tie | 4 |
| Laser warning label | 2 |
| 50mm length spiral wrap | 2 |

Excel Enbeam 12 LC Duplex (24 Fibres) Multimode DIN Rail Box Beige

Item Code: 208-217

excel
without compromise.

Product drawing



Standards

| Applicable standard | Detail |
|--|---|
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| WFD: 2023 | Compliant to Waste Framework Directive |
| SCIP: 2023 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products) |
| POPs (EU) No 2019/1021 | EU Regulation for the restriction of Persistent Organic Pollutants. |

Excel Enbeam 12 LC Duplex (24 Fibres) Multimode DIN Rail Box Beige

Item Code: 208-217



Part Number Table

| Part Number | Description |
|-------------|--|
| 208-210 | Excel Enbeam 12 SC Simplex (12 Fibres) Singlemode DIN Rail Box Blue |
| 208-211 | Excel Enbeam 12 SC/APC Simplex (12 Fibres) Singlemode DIN Rail Box Green |
| 208-212 | Excel Enbeam 12 SC Simplex (12 Fibres) Multimode DIN Rail Box Beige |
| 208-213 | Excel Enbeam 12 SC Simplex (12 Fibres) Multimode DIN Rail Box Violet |
| 208-214 | Excel Enbeam 12 SC Simplex (12 Fibres) Multimode DIN Rail Box Aqua |
| 208-215 | Excel Enbeam 12 LC Duplex (24 Fibres) Singlemode DIN Rail Box Blue |
| 208-216 | Excel Enbeam 12 LC/APC Duplex (24 Fibres) Singlemode DIN Rail Box Green |
| 208-217 | Excel Enbeam 12 LC Duplex (24 Fibres) Multimode DIN Rail Box Beige |
| 208-218 | Excel Enbeam 12 LC Duplex (24 Fibres) Multimode DIN Rail Box Violet |
| 208-219 | Excel Enbeam 12 LC Duplex (24 Fibres) Multimode DIN Rail Box Aqua |

Excel is a world class premium performing end to end infrastructure solution designed,
Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.