


# Enbeam SCA singlemode 5db attenuator

Item Code: 208-558

**excel**  
without compromise.



✕ Compact design

✕ Easy to connect/ disconnect

✕ Available in SC/APC, SC/UPC, LC/UPC and LC/APC

✕ Available in fixed attenuation values of 1/2/5/10/15/20 dB

✕ 25 Year system warranty

## Product Overview

The Excel Enbeam Fixed value attenuators are used to match signal power to receiver dynamic range in optical networks. The Excel range of singlemode high performance devices are designed to give accurate attenuation over a wide range of wavelengths.

The plug type configuration allows easy to use functionality 'straight out of the box'. This allows connection directly to the fibre patch cord, for insertion onto the adaptor.

## Product Specifications

Feature	Values
Attenuation	5 dB
Return loss (min)	40...60 dB
Operation temperature	-40...75 °C
Fibre type	Single mode 9/125
Type of connector	SC/APC

## Additional specifications

Features	Values
Ferrule Type	Zirconia Ceramic
Operating Wavelength (nm)	1310nm, 1550nm
Attenuation accuracy 1-5 dB	±0.5dB
Attenuation accuracy 10 dB	±0.75dB


# Enbeam SCA singlemode 5db attenuator



Item Code: 208-558

Attenuation accuracy 15-20 dB	±10% overall dB
Return loss (UPC)	≥55dB
Return loss (APC)	≥65dB
Mating Durability	≥1000 cycle
Housing	Zinc Alloy

## Product drawing



## Standards

Applicable standard	Detail
RoHS	Restriction of Hazardous Substances - Compliant
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance

## Part Number Table

Part Number	Description
208-550	Enbeam SC singlemode 1db attenuator
208-551	Enbeam SC singlemode 2db attenuator
208-552	Enbeam SC singlemode 5db attenuator
208-553	Enbeam SC singlemode 10db attenuator

# Enbeam SCA singlemode 5db attenuator



Item Code: 208-558

208-554	Enbeam SC singlemode 15db attenuator
208-555	Enbeam SC singlemode 20db attenuator
208-556	Enbeam SCA singlemode 1db attenuator
208-557	Enbeam SCA singlemode 2db attenuator
208-558	Enbeam SCA singlemode 5db attenuator
208-559	Enbeam SCA singlemode 10db attenuator
208-560	Enbeam SCA singlemode 15db attenuator
208-561	Enbeam SCA singlemode 20db attenuator

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.