

# Excel Enbeam Blown Fibre Tube 16 mm Clear Straight Connector

Item Code: 208-833

**excel**  
without compromise.



Straight connector

Multiple sizes available

Locking clips included

25-year system warranty

## Product Overview

The Enbeam Push-Fit micro duct connectors are designed for use with the Enbeam blown fibre micro duct system. All push fit connectors are made from a clear transparent body, which gives the ability to visually inspect the installed cable and that the tubes are installed and aligned correctly.

Pre-installed locking clips are included on each end of the connector to ensure tubes are locked into position ensuring a good connection is retained during the blowing process. Each connector can withstand up to 1 Joule of impact pressure and be reused if required. It is advisable to keep the connectors away from direct sunlight.

## Product Specifications

Feature	Values
Model	Coupler

## Additional specifications

Features	Values	
Materials	body	Clear polyamide
	grip	Polyoxymethylene
	clips	Polypropylene
Pressure	burst	25 bar
	working	15 bar
Impact resistance		1J
UV Resistance		None
Lifetime expectancy	total	25 years

# Excel Enbeam Blown Fibre Tube 16 mm Clear Straight Connector

Item Code: 208-833



Temperatures	operating	-15°C to +45°C
	installation	-15°C to +45°C

## Standards

Applicable standard	Detail
BS EN 50411-2-8:2009	Fibre organisers and closures to be used in optical fibre communication systems. Product specifications. Microduct connectors, for air blown optical fibres, Type 1
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

## Part Number Table

Part Number	Description
208-820	Excel Enbeam Blown Fibre Tube 5mm Clear Straight Connector
208-830	Excel Enbeam Blown Fibre Tube 7 mm Clear Straight Connector
208-831	Excel Enbeam Blown Fibre Tube 10 mm Clear Straight Connector
208-832	Excel Enbeam Blown Fibre Tube 14 mm Clear Straight Connector

# Excel Enbeam Blown Fibre Tube 16 mm Clear Straight Connector

Item Code: 208-833



208-833

Excel Enbeam Blown Fibre Tube 16 mm Clear Straight Connector

208-834

Excel Enbeam Blown Fibre Tube 18 mm Clear Straight Connector

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.