

## Excel Enbeam Blown Fibre Tube Repair Kit for 5 mm

Part Code: 208-890

sales@excel-networking.com  
excel-networking.com



### Main Features

- / Gas and watertight up to 0.5 bar
- / Multiple sizes available
- / 25-year Warranty
- / Suitable for direct burial
- / Slim design

### Product Overview

The Enbeam divisible duct repair kit is designed for use with the Enbeam blown fibre micro duct system.

The repair kits are used to repair cracked or split duct after cables have been blown into the micro duct. The silicon insert is compressed to make a water and gas seal around the damaged area.

### Product Specifications

# Excel Enbeam Blown Fibre Tube Repair Kit for 5 mm

Part Code: 208-890

sales@excel-networking.com  
excel-networking.com

| Feature | Values     |
|---------|------------|
| Model   | Repair kit |

## Additional specifications

| Features        | Values                             |
|-----------------|------------------------------------|
| Gas tightness   | 0.5 bar (or 10 bar for 30 minutes) |
| Water tightness | 0.5 bar (or 10 bar for 30 minutes) |

## Standards

| Applicable standard                | Detail   |
|------------------------------------|--|
| Directive 2011/65/EU (RoHS II)     | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).   |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.   |
| Directive 2008/98/EC (WFD)         | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).   |
| ECHA SCIP Database                 | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.                              |
| Regulation (EU) 2019/1021 (POPs)   | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032                | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment  |

# Excel Enbeam Blown Fibre Tube Repair Kit for 5 mm

Part Code: 208-890

sales@excel-networking.com  
excel-networking.com

Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

## Part Code Table

| Part Code | Description  |
|-----------|--|
| 208-890   | Excel Enbeam Blown Fibre Tube Repair Kit for 5 mm  |
| 208-891   | Excel Enbeam Blown Fibre Tube Repair Kit for 7 mm  |
| 208-892   | Excel Enbeam Blown Fibre Tube Repair Kit for 14 mm |
| 208-893   | Excel Enbeam Blown Fibre Tube Repair Kit for 16 mm |