

# Excel Enbeam Pushfit Bulkhead Tube Connector for 5 mm Blown Fibre Tube

Part Code: 208-899

sales@excel-networking.com  
excel-networking.com

CIBSE TM65 Embodied Carbon: 0.089 kg CO2e



## Main Features

- / Pushfit
- / Compatible with Enbeam 5/3.5mm Blow Tube
- / UL94-V0
- / For use with 5mm tube
- / Compatible with Enbeam Distribution Panel
- / CIBSE TM65 Embodied Carbon: 0.089 kg CO2e

## Product Overview

The Enbeam Push-Fit bulkhead connector is designed for use with the Enbeam blown fibre micro duct system. The push fit Bulkhead is made from a black acetal co-polymer and can be mounted in a 12.5mm hole.

## Product Specifications

Feature	Values
---------	--------

# Excel Enbeam Pushfit Bulkhead Tube Connector for 5 mm Blown Fibre Tube

Part Code: 208-899

sales@excel-networking.com  
excel-networking.com


Model

Coupler

## Additional specifications

Features	Values
Material	Acetal Co-Polymer
Pressure	16
UV Resistance	None
Operating temperature	-10°C to +40°C

## Product drawing



# Excel Enbeam Pushfit Bulkhead Tube Connector for 5 mm Blown Fibre Tube

Part Code: 208-899

sales@excel-networking.com  
excel-networking.com

## Standards

Applicable standard	Detail
BS EN 50411-2-8:2009	Fibre organisers and closures to be used in optical fibre communication systems. Product specifications. Microduct connectors, for air blown optical fibres, Type 1
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

## Part Code Table

Part Code	Description
208-899	<b>Excel Enbeam Pushfit Bulkhead Tube Connector for 5 mm Blown Fibre Tube</b>

# Excel Enbeam Pushfit Bulkhead Tube Connector for 5 mm Blown Fibre Tube



Part Code: 208-899

[sales@excel-networking.com](mailto:sales@excel-networking.com)  
[excel-networking.com](http://excel-networking.com)