

Excel Maxi Trunking 75x75 mm 3 m Lengths (2-Pack)

Item Code: 450-205-PK2



- ✕ Snap-on cover
- ✕ 3 metre lengths
- ✕ Wide range of suitable fittings available
- ✕ Pure white
- ✕ 25 Year system warranty

Product Overview

Excel Maxi PVC Trunking is manufactured to comply with the requirements of British Standard BS 4678: Part 4 (where applicable). All systems allow the installer to comply with the current edition of the IET Regulations.

Product Specifications

Feature	Values
Height	75 mm
Width	75 mm
Length	3000 mm
Material	Plastic
Material quality	Polyvinyl chloride (PVC)
Colour	White
Type of fastening	Non-adhesive

Excel Maxi Trunking 75x75 mm 3 m Lengths (2-Pack)

Item Code: 450-205-PK2



Additional specifications

Features	Values
Operating Temperature	-5 to +60 °C
Insulation Resistance	> 100 MΩ

Standards

Applicable standard	Detail
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).
UL-94-V-0	Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. No flaming drips are allowed.
BS 4678-4	Cable trunking. Specification for cable trunking made of insulating material
BS 6099-2-2.2	Conduits for electrical installations. Particular specifications. Specification for rigid plain conduits of insulating material
BS EN 50085-2-2	Cable trunking systems and cable ducting systems for electrical installations. Particular requirements for cable trunking systems and cable ducting systems intended for mounting underfloor, flushfloor, or onfloor
WFD: 2023	Compliant to Waste Framework Directive
SCIP: 2023	Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)
POPs (EU) No 2019/1021	EU Regulation for the restriction of Persistent Organic Pollutants.

Part Number Table

Part Number	Description
450-005-PK10	Excel Mini Trunking 16x16 mm 3 m Lengths (10-Pack)
450-012-PK10	Excel Mini Trunking 16x25 mm 3 m Lengths (10-Pack)
450-015-PK10	Excel Mini Trunking 16x40 mm 3 m Lengths (10-Pack)
450-020-PK10	Excel Mini Trunking 25x40 mm 3 m Lengths (10-Pack)

Excel Maxi Trunking 75x75 mm 3 m Lengths (2-Pack)

Item Code: 450-205-PK2



450-025-PK10	Excel Mini Trunking 40x40 mm 3 m Lengths (10-Pack)
450-030-PK10	Excel Self Adhesive Mini Trunking 16x16 mm 3 m Lengths (10-Pack)
450-035-PK10	Excel Self Adhesive Mini Trunking 16x25 mm 3 m Lengths (10-Pack)
450-040-PK10	Excel Self Adhesive Mini Trunking 25x40 mm 3 m Lengths (10-Pack)
450-045	Excel Mini Trunking Fittings 16x16 mm Flat Angle (10-Pack)
450-050	Excel Mini Trunking Fittings 16x25 mm Flat Angle (10-Pack)
450-055	Excel Mini Trunking Fittings 16x40 mm Flat Angle (10-Pack)
450-060	Excel Mini Trunking Fittings 25x40 mm Flat Angle (10-Pack)
450-065	Excel Mini Trunking Fittings 40x40 mm Flat Angle (10-Pack)
450-070	Excel Mini Trunking Fittings 16x16 mm Internal Angle (10-Pack)
450-075	Excel Mini Trunking Fittings 16x25 mm Internal Angle (10-Pack)
450-080	Excel Mini Trunking Fittings 16x40 mm Internal Angle (10-Pack)
450-085	Excel Mini Trunking Fittings 25x40 mm Internal Angle (10-Pack)
450-090	Excel Mini Trunking Fittings 40x40 mm Internal Angle (10-Pack)
450-095	Excel Mini Trunking Fittings 16x16 mm External Angle (10-Pack)
450-100	Excel Mini Trunking Fittings 16x25 mm External Angle (10-Pack)
450-105	Excel Mini Trunking Fittings 16x40 mm External Angle (10-Pack)
450-110	Excel Mini Trunking Fittings 25x40 mm External Angle (10-Pack)
450-115	Excel Mini Trunking Fittings 40x40 mm External Angle (10-Pack)
450-120	Excel Mini Trunking Fittings 16x16 mm Flat Tees (10-Pack)
450-125	Excel Mini Trunking Fittings 16x25 mm Flat Tees (10-Pack)
450-135	Excel Mini Trunking Fittings 25x40 mm Flat Tees (10-Pack)
450-145	Excel Mini Trunking Fittings 16x16 mm Couplers (10-Pack)
450-150	Excel Mini Trunking Fittings 16x25 mm Couplers (10-Pack)
450-160	Excel Mini Trunking Fittings 25x40 mm Couplers (10-Pack)
450-165	Excel Mini Trunking Fittings 16x16 mm End Caps (10-Pack)
450-170	Excel Mini Trunking Fittings 16x25 mm End Caps (10-Pack)
450-175	Excel Mini Trunking Fittings 16x40 mm End Caps (10-Pack)
450-180	Excel Mini Trunking Fittings 25x40 mm End Caps (10-Pack)
450-185	Excel Mini Trunking Fittings 40x40 mm End Caps (10-Pack)
450-190-PK2	Excel Maxi Trunking 50x50 mm 3 m Lengths (2-Pack)
450-200-PK2	Excel Maxi Trunking 75x50mm 2x3m lengths (6m)

Excel Maxi Trunking 75x75 mm 3 m Lengths (2-Pack)

Item Code: 450-205-PK2



450-205-PK2	Excel Maxi Trunking 75x75 mm 3 m Lengths (2-Pack)
450-210-PK2	Excel Maxi Trunking 100x50mm 2x3m lengths (6m)
450-215-PK2	Excel Maxi Trunking 100x100mm 2x3m lengths (6m)
450-225	Excel Maxi Trunking Fittings 50x50 mm Couplers
450-250	Excel Maxi Trunking Fittings 50x50 mm External Angle
450-260	Excel Maxi Trunking Fittings 75x75 mm External Angle
450-265	Excel Maxi Trunking Fittings 100x50 mm External Angle
450-270	Excel Maxi Trunking Fittings 100x100 mm External Angle
450-275	Excel Maxi Trunking Fittings 50x50 mm End Caps
450-285	Excel Maxi Trunking Fittings 75x75 mm End Caps
450-290	Excel Maxi Trunking Fittings 100x50 mm End Caps
450-295	Excel Maxi Trunking Fittings 100x100 mm End Caps
450-300	Excel Maxi Trunking Fittings 50x50 mm Flat Angle
450-305	Excel Maxi Trunking Fittings 75x50mm Flat Angle
450-310	Excel Maxi Trunking Fittings 75x75 mm Flat Angle
450-315	Excel Maxi Trunking Fittings 100x50 mm Flat Angle
450-320	Excel Maxi Trunking Fittings 100x100 mm Flat Angle
450-325	Excel Maxi Trunking Fittings 50x50 mm Flat Tees
450-350	Excel Maxi Trunking Fittings 50x50 mm Internal Angle
450-360	Excel Maxi Trunking Fittings 75x5 mm Internal Angle
450-365	Excel Maxi Trunking Fittings 100x50 mm Internal Angle
450-370	Excel Maxi Trunking Fittings 100x100 mm Internal Angle

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.