


# Excel Maxi Trunking Fittings 50x50 mm Internal Angle

Item Code: 450-350

**excel**  
without compromise.



✕ Available in a variety of sizes

✕ Packs of 10

✕ Pure white

✕ 25 Year system warranty

## Product Overview

Part of a wide range of accessories to complement the Excel range of maxi trunking, angles are used when creating corners or tap off points when installing. This ensures a tidy, professional installation.

## Product Specifications

Feature	Values
Height	50 mm
Width	50 mm
Material	Plastic
Material quality	Polyvinyl chloride (PVC)
Type of fastening	Snap on
Colour	White

## Additional specifications

Features	Values
Operating Temperature	-5 to +60 °C
Insulation Resistance	> 100 MΩ

# Excel Maxi Trunking Fittings 50x50 mm Internal Angle

Item Code: 450-350



## Standards

Applicable standard	Detail
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).
UL-94-V-0	Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. No flaming drips are allowed.
BS 4678-4	Cable trunking. Specification for cable trunking made of insulating material
BS 6099-2-2.2	Conduits for electrical installations. Particular specifications. Specification for rigid plain conduits of insulating material
BS EN 50085-2-2	Cable trunking systems and cable ducting systems for electrical installations. Particular requirements for cable trunking systems and cable ducting systems intended for mounting underfloor, flushfloor, or onfloor
WFD: 2023	Compliant to Waste Framework Directive
SCIP: 2023	Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)
POPs (EU) No 2019/1021	EU Regulation for the restriction of Persistent Organic Pollutants.

## Part Number Table

Part Number	Description
450-005-PK10	Excel Mini Trunking 16x16 mm 3 m Lengths (10-Pack)
450-012-PK10	Excel Mini Trunking 16x25 mm 3 m Lengths (10-Pack)
450-015-PK10	Excel Mini Trunking 16x40 mm 3 m Lengths (10-Pack)
450-020-PK10	Excel Mini Trunking 25x40 mm 3 m Lengths (10-Pack)
450-025-PK10	Excel Mini Trunking 40x40 mm 3 m Lengths (10-Pack)
450-030-PK10	Excel Self Adhesive Mini Trunking 16x16 mm 3 m Lengths (10-Pack)
450-035-PK10	Excel Self Adhesive Mini Trunking 16x25 mm 3 m Lengths (10-Pack)
450-040-PK10	Excel Self Adhesive Mini Trunking 25x40 mm 3 m Lengths (10-Pack)
450-045	Excel Mini Trunking Fittings 16x16 mm Flat Angle (10-Pack)
450-050	Excel Mini Trunking Fittings 16x25 mm Flat Angle (10-Pack)

# Excel Maxi Trunking Fittings 50x50 mm Internal Angle

Item Code: 450-350



450-055	Excel Mini Trunking Fittings 16x40 mm Flat Angle (10-Pack)
450-060	Excel Mini Trunking Fittings 25x40 mm Flat Angle (10-Pack)
450-065	Excel Mini Trunking Fittings 40x40 mm Flat Angle (10-Pack)
450-070	Excel Mini Trunking Fittings 16x16 mm Internal Angle (10-Pack)
450-075	Excel Mini Trunking Fittings 16x25 mm Internal Angle (10-Pack)
450-080	Excel Mini Trunking Fittings 16x40 mm Internal Angle (10-Pack)
450-085	Excel Mini Trunking Fittings 25x40 mm Internal Angle (10-Pack)
450-090	Excel Mini Trunking Fittings 40x40 mm Internal Angle (10-Pack)
450-095	Excel Mini Trunking Fittings 16x16 mm External Angle (10-Pack)
450-100	Excel Mini Trunking Fittings 16x25 mm External Angle (10-Pack)
450-105	Excel Mini Trunking Fittings 16x40 mm External Angle (10-Pack)
450-110	Excel Mini Trunking Fittings 25x40 mm External Angle (10-Pack)
450-115	Excel Mini Trunking Fittings 40x40 mm External Angle (10-Pack)
450-120	Excel Mini Trunking Fittings 16x16 mm Flat Tees (10-Pack)
450-125	Excel Mini Trunking Fittings 16x25 mm Flat Tees (10-Pack)
450-135	Excel Mini Trunking Fittings 25x40 mm Flat Tees (10-Pack)
450-145	Excel Mini Trunking Fittings 16x16 mm Couplers (10-Pack)
450-150	Excel Mini Trunking Fittings 16x25 mm Couplers (10-Pack)
450-160	Excel Mini Trunking Fittings 25x40 mm Couplers (10-Pack)
450-165	Excel Mini Trunking Fittings 16x16 mm End Caps (10-Pack)
450-170	Excel Mini Trunking Fittings 16x25 mm End Caps (10-Pack)
450-175	Excel Mini Trunking Fittings 16x40 mm End Caps (10-Pack)
450-180	Excel Mini Trunking Fittings 25x40 mm End Caps (10-Pack)
450-185	Excel Mini Trunking Fittings 40x40 mm End Caps (10-Pack)
450-190-PK2	Excel Maxi Trunking 50x50 mm 3 m Lengths (2-Pack)
450-200-PK2	Excel Maxi Trunking 75x50mm 2x3m lengths (6m)
450-205-PK2	Excel Maxi Trunking 75x75 mm 3 m Lengths (2-Pack)
450-210-PK2	Excel Maxi Trunking 100x50mm 2x3m lengths (6m)
450-215-PK2	Excel Maxi Trunking 100x100mm 2x3m lengths (6m)
450-225	Excel Maxi Trunking Fittings 50x50 mm Couplers
450-250	Excel Maxi Trunking Fittings 50x50 mm External Angle
450-260	Excel Maxi Trunking Fittings 75x75 mm External Angle
450-265	Excel Maxi Trunking Fittings 100x50 mm External Angle

# Excel Maxi Trunking Fittings 50x50 mm Internal Angle

Item Code: 450-350



450-270	Excel Maxi Trunking Fittings 100x100 mm External Angle
450-275	Excel Maxi Trunking Fittings 50x50 mm End Caps
450-285	Excel Maxi Trunking Fittings 75x75 mm End Caps
450-290	Excel Maxi Trunking Fittings 100x50 mm End Caps
450-295	Excel Maxi Trunking Fittings 100x100 mm End Caps
450-300	Excel Maxi Trunking Fittings 50x50 mm Flat Angle
450-305	Excel Maxi Trunking Fittings 75x50mm Flat Angle
450-310	Excel Maxi Trunking Fittings 75x75 mm Flat Angle
450-315	Excel Maxi Trunking Fittings 100x50 mm Flat Angle
450-320	Excel Maxi Trunking Fittings 100x100 mm Flat Angle
450-325	Excel Maxi Trunking Fittings 50x50 mm Flat Tees
450-350	Excel Maxi Trunking Fittings 50x50 mm Internal Angle
450-360	Excel Maxi Trunking Fittings 75x5 mm Internal Angle
450-365	Excel Maxi Trunking Fittings 100x50 mm Internal Angle
450-370	Excel Maxi Trunking Fittings 100x100 mm Internal Angle

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.