Item Code: 542-33810-GSBF-BK





Product Overview

Environ CR800 Comms Racks are a versatile range of 800mm wide racks with features suitable for a wide range of applications within the data, security, audio visual and telecommunications markets.

Product Specifications

| Feature | Values |
|---------------------------|----------------|
| Mounting Profile | Front and rear |
| Type of profile rail | L-shaped |
| Number of doors | 2 |
| Type of ventilation | Passive |
| Width | 800 mm |
| Height | 1670 mm |
| Depth | 1000 mm |
| Modular spacing | 19 inch |
| Number of rack units (RU) | 33 |
| Max. load capacity | 800 kg |

Item Code: 542-33810-GSBF-BK



| With roof plate | yes |
|---|---|
| With earthing | yes |
| With front door | yes |
| Front door material | Glass |
| Front door locking system | One point |
| With rear door | yes |
| Rear door material | Steel |
| Rear door locking system | One point |
| Side panels included | yes |
| | |
| With vertical cable management | yes |
| With vertical cable management Material | yes Steel |
| | |
| Material | Steel |
| Material Type of surface | Steel Powder coated |
| Material Type of surface Colour | Steel Powder coated Black |
| Material Type of surface Colour RAL-number | Steel Powder coated Black 9004 |

Additional specifications

| Features | Values |
|--------------------------------|--------------------------|
| Material | SPCC Cold Rolled Steel |
| 19" Rails | 2.0 mm thick |
| Side Panels | 1.0 mm thick |
| Other | 1.2 mm thick |
| Front door | Swing handle cam lock |
| Rear door | Barrel lock |
| Side panels lock | Single point barrel lock |
| Jacking feet additional height | 50-80 mm |
| Castors additional height | 70 mm |

Item Code: 542-33810-GSBF-BK



Standards

| Standard | Detail |
|--|--|
| ANSI/EIA-310-E | Electronic Industries Association standard for horizontal spacing, vertical hole spacing, rack opening and front panel width |
| BS EN 60297-3-100:2009 | Mechanical structures for electronic equipment. Dimensions of mechanical structures of the 482,6 mm (19 in) series. Basic dimensions of front panels, subracks, chassis, racks and cabinets |
| DIN 41494 Part 1 & 7 | Panel Mounting Racks For Electronics Equipments; Racks And Panels, Dimensions; Dimensions of cabinets and suites of racks |
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| WFD: 2023 | Compliant to Waste Framework Directive |
| SCIP: 2023 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products) |
| POPs (EU) No 2019/1021 | EU Regulation for the restriction of Persistent Organic Pollutants. |

Item Code: 542-33810-GSBF-BK



Product images



Four-way brush entry roof panel



Swing handle glass front door




Quick-slam latch side panels



Steel rear door




Large base entry



High-density vertical cable management




Product drawings



Item Code: 542-33810-GSBF-BK



Product drawings



Part Number Table

| Part Number | Description |
|------------------|---|
| 542-1588-GSBF-BK | Environ CR600 15U Rack 800x800 mm Glass (F) Steel (R) B/Panels Fr/Mgmt Black |
| 542-2088-GSBF-BK | Environ CR800 20U Rack 800x800 mm Glass (F) Steel (R) B/Panels Fr/Mgmt Black |



| 542-24810-GSBF-BK | Environ CR800 24U Rack 800x1000 mm Glass (F) Steel (R) B/Panels Fr/Mgmt Black |
|----------------------|---|
| 542-2486-GSBF-BK | Environ CR800 24U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-2486-GSBF-BK-FP | Environ CR800 24U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-2486-GSBF-GW | Environ CR800 24U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-2486-GSBF-GW-FP | Environ CR800 24U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
| 542-2488-GSBF-BK | Environ CR800 24U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-2488-GSBF-BK-FP | Environ CR800 24U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-2488-GSBF-GW | Environ CR800 24U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-2488-GSBF-GW-FP | Environ CR800 24U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
| 542-29810-GSBF-BK | Environ CR800 29U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-29810-GSBF-BK-FP | Environ CR800 29U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-29810-GSBF-GW | Environ CR800 29U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-29810-GSBF-GW-FP | Environ CR800 29U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
| 542-2986-GSBF-BK | Environ CR800 29U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-2986-GSBF-BK-FP | Environ CR800 29U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-2986-GSBF-GW | Environ CR800 29U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-2986-GSBF-GW-FP | Environ CR800 29U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
| 542-2988-GSBF-BK | Environ CR800 29U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-2988-GSBF-BK-FP | Environ CR800 29U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-2988-GSBF-GW | Environ CR800 29U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |



| 542-2988-GSBF-GW-FP | Environ CR800 29U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
|----------------------|---|
| 542-33810-GSBF-BK | Environ CR800 33U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-33810-GSBF-BK-FP | Environ CR800 33U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-33810-GSBF-GW | Environ CR800 33U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-33810-GSBF-GW-FP | Environ CR800 33U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
| 542-3386-GSBF-BK | Environ CR800 33U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-3386-GSBF-BK-FP | Environ CR800 33U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-3386-GSBF-GW | Environ CR800 33U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-3386-GSBF-GW-FP | Environ CR800 33U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
| 542-3388-GSBF-BK | Environ CR800 33U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-3388-GSBF-BK-FP | Environ CR800 33U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-3388-GSBF-GW | Environ CR800 33U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-3388-GSBF-GW-FP | Environ CR800 33U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
| 542-42810-GSBF-BK | Environ CR800 42U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-42810-GSBF-BK-FP | Environ CR800 42U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-42810-GSBF-GW | Environ CR800 42U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-42810-GSBF-GW-FP | Environ CR800 42U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
| 542-4286-GSBF-BK | Environ CR800 42U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-4286-GSBF-BK-FP | Environ CR800 42U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-4286-GSBF-GW | Environ CR800 42U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-4286-GSBF-GW-FP | Environ CR800 42U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt |



| | Grey White Flat Pack |
|----------------------|---|
| 542-4288-GSBF-BK | Environ CR800 42U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-4288-GSBF-BK-FP | Excel Environ CR800 42U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-4288-GSBF-GW | Environ CR800 42U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-4288-GSBF-GW-FP | Environ CR800 42U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
| 542-47810-GSBF-BK | Environ CR800 47U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-47810-GSBF-BK-FP | Environ CR800 47U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-47810-GSBF-GW | Environ CR800 47U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-47810-GSBF-GW-FP | Environ CR800 47U Rack 800x1000mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
| 542-4786-GSBF-BK | Environ CR800 47U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-4786-GSBF-BK-FP | Environ CR800 47U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-4786-GSBF-GW | Environ CR800 47U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-4786-GSBF-GW-FP | Environ CR800 47U Rack 800x600mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |
| 542-4788-GSBF-BK | Environ CR800 47U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Black |
| 542-4788-GSBF-BK-FP | Environ CR800 47U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Black Flat Pack |
| 542-4788-GSBF-GW | Environ CR800 47U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White |
| 542-4788-GSBF-GW-FP | Environ CR800 47U Rack 800x800mm Glass (F) Steel (R) B/Panels F/Mgmt Grey White Flat Pack |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.