

# Environ CL600 42U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R...

Part Code: 545-4261-2C-VVBM-BK

sales@excel-networking.com  
excel-networking.com



## Main Features

- / Choice of 2 or 4 compartments
- / Heavy duty lockable casters included
- / Top and Bottom cable entry to each compartment
- / Jacking feet included
- / 19" profiles marked with U height position
- / Cable entry secure to each compartment

## Product Overview

The Environ CL series of multicompartment floor standing racks are designed for co-location installations and applications that require enhanced levels of access security. The range is based on the proven and popular ER series chassis and is available in a 42U or 47U heights, 600mm or 800mm wide, grey white or black and a choice of 2 or 4 compartments. Each compartment is created by the use of a full depth dividing panel which runs from front to rear of the rack providing both separation and a mounting shelf if so desired. Within each compartment are front and rear adjustable equipment mounting rails. As standard front and rear doors are vented mesh and each are fitted with swing handles fitted with both a key and 3 digit combination lock. The entire range of Environ locking solutions is compatible with the CL series enabling customers to choose from digital key code...

# Environ CL600 42U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R...

Part Code: 545-4261-2C-VVBM-BK

sales@excel-networking.com  
excel-networking.com

## Product Specifications

| Feature                        | Values         |
|--------------------------------|----------------|
| Mounting Profile               | Front and rear |
| Type of profile rail           | L-shaped       |
| Number of doors                | 4              |
| Type of ventilation            | Passive        |
| Width                          | 600 mm         |
| Height                         | 2070 mm        |
| Depth                          | 1000 mm        |
| Modular spacing                | 19 inch        |
| Number of rack units (RU)      | 42             |
| Max. load capacity             | 600 kg         |
| With roof plate                | yes            |
| With earthing                  | yes            |
| With front door                | yes            |
| Front door material            | Steel          |
| Front door locking system      | One point      |
| With rear door                 | yes            |
| Rear door material             | Steel          |
| Rear door locking system       | One point      |
| Side panels included           | yes            |
| With vertical cable management | yes            |
| Material                       | Steel          |
| Type of surface                | Powder coated  |

# Environ CL600 42U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R...

Part Code: 545-4261-2C-VVBM-BK

sales@excel-networking.com  
excel-networking.com

|             |                  |
|-------------|------------------|
| Colour      | Black            |
| RAL-number  | 9004             |
| Flat-packed | no               |
| IP-rating   | IP20             |
| Application | Co-Location Rack |

## Additional specifications


| Features                       | Values                                      |
|--------------------------------|---------------------------------------------|
| Material                       | SPCC Cold Rolled Steel                      |
| 19" Rails                      | 2.0 mm thick                                |
| Side Panels                    | 1.0 mm thick                                |
| Other                          | 1.2 mm thick                                |
| Front door                     | Swing handle cam lock with combination lock |
| Rear door                      | Swing handle cam lock with combination lock |
| Side panels lock               | Single point barrel lock                    |
| Jacking feet additional height | 50-80 mm                                    |
| Castors additional height      | 70 mm                                       |

Environ CL600 42U Co-Location Rack 600x1000mm (2  
Compartments) Vented (F) Vented (R) B/Panels R...

Part Code: 545-4261-2C-VVBM-BK

sales@excel-networking.com  
excel-networking.com

Product images



Mesh compartment doors




Removable side panels



Key and 3-digit combination locks



Inner door lock



Vertical cable management



U height profile markings

# Environ CL600 42U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R...

Part Code: 545-4261-2C-VVBM-BK


sales@excel-networking.com  
excel-networking.com

## Product drawings

### Environ CL600 Rack 2 Compartment Elevation Views



### Environ CL600 Rack 4 Compartment Elevation Views



# Environ CL600 42U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R...

Part Code: 545-4261-2C-VVBM-BK

sales@excel-networking.com  
excel-networking.com

## Standards

| Standard                           | Detail                                                                                                                                                                                                                                                                   |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANSI/EIA-310-E                     | Electronic Industries Association standard for horizontal spacing, vertical hole spacing, rack opening and front panel width                                                                                                                                             |
| BS EN 60297-3-100:2009             | Mechanical structures for electronic equipment. Dimensions of mechanical structures of the 482,6 mm (19 in) series. Basic dimensions of front panels, subracks, chassis, racks and cabinets                                                                              |
| DIN 41494 Part 1 & 7               | Panel Mounting Racks For Electronics Equipments; Racks And Panels, Dimensions; Dimensions of cabinets and suites of racks                                                                                                                                                |
| Directive 2011/65/EU (RoHS II)     | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).                                                                                                                             |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.                                                                                                                                                                     |
| Directive 2008/98/EC (WFD)         | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).                                                                                                                                   |
| ECHA SCIP Database                 | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.                                                                                                |
| Regulation (EU) 2019/1021 (POPs)   | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).                                                                   |
| UK SI 2012 No. 3032                | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

# Environ CL600 42U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R...

Part Code: 545-4261-2C-VVBM-BK

sales@excel-networking.com  
excel-networking.com

## Part Code Table

| Part Code              | Description                                                                                                                       |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| 545-4261-2C-WBVM-BK    | Environ CL600 42U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Black                |
| 545-4261-2C-WBVM-BK-FP | Environ CL600 42U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Black Flat Pack Pack |
| 545-4261-2C-WBVM-GW    | Environ CL600 42U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Grey White           |
| 545-4261-2C-WBVM-GW-FP | Environ CL600 42U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Grey White Flat Pack |
| 545-4261-4C-WBVM-BK    | Environ CL600 42U Co-Location Rack 600x1000mm (4 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Black                |
| 545-4261-4C-WBVM-BK-FP | Environ CL600 42U Co-Location Rack 600x1000mm (4 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Black Flat Pack      |
| 545-4261-4C-WBVM-GW    | Environ CL600 42U Co-Location Rack 600x1000mm (4 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Grey White           |
| 545-4261-4C-WBVM-GW-FP | Environ CL600 42U Co-Location Rack 600x1000mm (4 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Grey White Flat Pack |
| 545-4761-2C-WBVM-BK    | Environ CL600 47U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Black                |
| 545-4761-2C-WBVM-BK-FP | Environ CL600 47U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Black Flat Pack      |
| 545-4761-2C-WBVM-GW    | Environ CL600 47U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Grey White           |
| 545-4761-2C-WBVM-GW-FP | Environ CL600 47U Co-Location Rack 600x1000mm (2 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Grey White Flat Pack |
| 545-4761-4C-WBVM-BK    | Environ CL600 47U Co-Location Rack 600x1000mm (4 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Black                |
| 545-4761-4C-WBVM-BK-FP | Environ CL600 47U Co-Location Rack 600x1000mm (4 Compartments) Vented (F) Vented (R) B/Panels R/Central-Mgmt Black Flat Pack      |

Environ CL600 42U Co-Location Rack 600x1000mm (2  
Compartments) Vented (F) Vented (R) B/Panels R...

Part Code: 545-4261-2C-VVBM-BK

sales@excel-networking.com  
excel-networking.com

545-4761-4C-VVBM-GW

**Environ CL600 47U Co-Location Rack 600x1000mm (4 Compartments) Vented  
(F) Vented (R) B/Panels R/Central-Mgmt Grey White**

545-4761-4C-VVBM-GW-FP

**Environ CL600 47U Co-Location Rack 600x1000mm (4 Compartments) Vented  
(F) Vented (R) B/Panels R/Central-Mgmt Grey White Flat Pack**