Excel Modular PDU B12496 Way Unloaded Housing 32 A BS4343

Item Code: 555-050

excel
without compromise.

PDU's

- Modular design
- Future-proof
- Expandable
- Hot swappable modules
- Available in 5 or 6 sections
- Choice of socket style and density

Product Overview

The Excel range of modular power distribution strips introduces flexibility and design options which until now have not been available in products of this type. Core to the product range is a U shaped housing, manufactured from high quality, lightweight aluminium which is terminated with a PVC mains connection lead, with commando style and standard 3 pin plug options.

A range of socket modules are available which snap into this housing quickly, easily, and securely without the need for tooling.

The range of modules available enable users to mix and match socket styles to suit initial - and more importantly - changing connectivity or socket density requirements. Current 'standard' power distribution units offer little if any flexibility, meaning users have to install single style socket units, multiple units, or purchase power leads or converters to match equipment connectors with power strip sockets.

Product Specifications

Feature	Values
Mounting direction	Vertical
Electrical connection	Connecting cord with plug
Type of electric plug connection	32 Amp - EN6039 Style (BS4343)
Cable length	2 m
Width	72 mm
Height	1690 mm
Depth	71.5 mm

Excel Modular PDU B12496 Way Unloaded Housing 32 A BS4343

Item Code: 555-050

Supply voltage	250 V
Switchable	no
With LED indication	no
With fuse	no
Ammeter	no
With mounting bracket	yes

Socket types

Snap in module design IEC320 C13 10AMP sockets shown

BS1363 sockets

IEC320 C19 16AMP sockets

GB2099.3 universal sockets

DIN49440 Schuko sockets**

Product image

BS4343 "Commando" style input lead

High quality, but lightweight aluminium housing

4 x DIN49440 Schuko Sockets** Part No. 555-065

4 x GB2099.3 universal sockets Part No. 555-063

4 x IEC320 C19 sockets Part No. 555-062

Fuse and power indicator

5 x IEC320 C13 ('kettle lead') sockets Part No. 555-061

3 x BS1363 (3 pin standard UK) sockets Part No. 555-060

Standards

Applicable standard	Detail
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Part Number Table

Part Number	Description
555-050	Excel Modular PDU B12496 Way Unloaded Housing 32 A BS4343
555-053	Excel Modular PDU 5 way unloaded housing, 32AMP BS4343
555-060	Excel Modular PDU 3x UK BS1363 Socket
555-061	Excel Modular PDU 5x IEC320 C13 10A Socket
555-062	Excel Modular PDU 4x IEC320 C19 16A Socket

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com