

# Item Code: 555-108



- imes LED indicated unit power
- $\mathbf{X}$  External earth facility

## **Product Overview**

The Excel range of power distribution units are designed for installation and use within 19" networking cabinets and enclosures. Each unit comprises of a high-quality aluminium extruded housing into which up to 12 sockets are loaded. In this particular range, each socket is ?Australian? style, manufactured in accordance with the AS/NZS 3112 standard. The 3-metre input lead is terminated with a 10 Amp-rated 3 pin AS/NZS 3112 plug top.

The range of available units includes 19" horizontally mounted, higher density vertical mounted options. In the "switched" version the switch itself acts as the LED indicator.

#### **Product Specifications**

| Feature                          | Values                    |
|----------------------------------|---------------------------|
| Mounting dimension               | 19 inch                   |
| Mounting direction               | Vertical                  |
| Electrical connection            | Connecting cord with plug |
| Type of electric plug connection | AS/NZS 3 pin plugtop      |
| Cable length                     | 3 m                       |
| Number of other socket outlets   | 8                         |
| Width                            | 62 mm                     |
| Height                           | 482.6 mm                  |
| Depth                            | 45 mm                     |
| Switchable                       | yes                       |
| With LED indication              | yes                       |
|                                  |                           |

# Item Code: 555-108



With mounting bracket


yes



**Product drawings** 











## Additional specifications

| Features      | Values |
|---------------|--------|
| Rated Current | 10Amp  |
| Maximum Power | 2400w  |

#### **Included accessories**

| Accessories     | Quantity |
|-----------------|----------|
| Fixing Kit      | 1 set    |
| 6mm Earth Cable | 1        |

#### Standards

| Applicable standard                        | Detail  |
|--|---|
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| AS/NZS 3112:2017                           | Approval and test specification - Plugs and socket-outlets for Australian/New Zealand Standard  |
| WFD: 2023                                  | Compliant to Waste Framework Directive  |
| SCIP: 2023                                 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)   |
| POPs (EU) No 2019/1021                     | EU Regulation for the restriction of Persistent Organic Pollutants.   |

## **Part Number Table**

| Part Number | Description  |
|-------------|--|
| 555-108     | Excel 8 Way Vert PDU 8x AS/NZS 3112 Socket PDU 3112 Plug   |
| 555-112     | Excel 12 Way Vert PDU 12x AS/NZS 3112 Socket PDU 3112 Plug |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.