Excel 8 Way Vert PDU 8x AS/NZS 3112 Socket PDU 3112 Plug

Part Code: 555-108

sales@excel-networking.com
excel-networking.com



Main Features

/ AS/NZS 3112 style sockets

/ Switched version available

/ External earth facility

/ Lightweight aluminium housing

/ LED indicated unit power

Product Overview

The Excel range of power distribution units are designed for installation and use within 19" networking cabinets and enclosures. Each unit comprises of a high-quality aluminium extruded housing into which up to 12 sockets are loaded. In this particular range, each socket is 'Australian' style, manufactured in accordance with the AS/NZS 3112 standard. The 3-metre input lead is terminated with a 10 Amp-rated 3 pin AS/NZS 3112 plug top.

The range of available units includes 19" horizontally mounted, higher density vertical mounted options. In the "switched" version the switch itself acts as the LED indicator.

This data sheet was generated at 6:56pm 10th November 2026 and is subject to change at any time.


sales@excel-networking.com
excel-networking.com


Product Specifications


Feature	Values
Mounting dimension	**19 inch**
Mounting direction	**Vertical**
Electrical connection	**Connecting cord with plug**
Type of electric plug connection	**AS/NZS 3 pin plugtop**
Cable length	**3 m**
Number of other socket outlets	**8**
Width	**62 mm**
Height	**482.6 mm**
Depth	**45 mm**
Switchable	**yes**
With LED indication	**yes**
With mounting bracket	**yes**


This data sheet was generated at 6:56pm 10th November 2026 and is subject to change at any time.

Product drawings









This data sheet was generated at 6:56pm 10th November 2026 and is subject to change at any time.

sales@excel-networking.com
excel-networking.com

Additional specifications

Features	Values
Rated Current	**10Amp**
Maximum Power	**2400w**

Included accessories

Accessories	Quantity
Fixing Kit	**1 set**
6mm Earth Cable	**1**

Standards

Applicable standard	Detail
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
AS/NZS 3112:2017	Approval and test specification - Plugs and socket-outlets for Australian/New Zealand Standard
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article

This data sheet was generated at 6:56pm 10th November 2026 and is subject to change at any time.

	33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Part Code Table

Part Code	Description
555-108	**Excel 8 Way Vert PDU 8x AS/NZS 3112 Socket PDU 3112 Plug**
555-112	**Excel 12 Way Vert PDU 12x AS/NZS 3112 Socket PDU 3112 Plug**

This data sheet was generated at 6:56pm 10th November 2026 and is subject to change at any time.