



☒ AS/NZS 3112 style sockets

☒ Lightweight aluminium housing

☒ Switched version available

☒ LED indicated unit power

☒ External earth facility

Product Overview

The Excel range of power distribution units are designed for installation and use within 19" networking cabinets and enclosures. Each unit comprises of a high-quality aluminium extruded housing into which up to 12 sockets are loaded. In this particular range, each socket is ?Australian? style, manufactured in accordance with the AS/NZS 3112 standard. The 3-metre input lead is terminated with a 10 Amp-rated 3 pin AS/NZS 3112 plug top.

The range of available units includes 19" horizontally mounted, higher density vertical mounted options. In the "switched" version the switch itself acts as the LED indicator.

Product Specifications

Feature	Values
Mounting dimension	19 inch
Mounting direction	Vertical
Electrical connection	Connecting cord with plug
Type of electric plug connection	AS/NZS 3 pin plugtop
Cable length	3 m
Number of other socket outlets	8
Width	62 mm
Height	482.6 mm
Depth	45 mm
Switchable	yes
With LED indication	yes

Excel 8 Way Vert PDU 8x AS/NZS 3112 Socket PDU
3112 Plug




Item Code: 555-108



With mounting bracket

yes

Product drawings



Excel 8 Way Vert PDU 8x AS/NZS 3112 Socket PDU 3112 Plug

Item Code: 555-108



Additional specifications

Features	Values
Rated Current	10Amp
Maximum Power	2400w

Included accessories

Accessories	Quantity
Fixing Kit	1 set
6mm Earth Cable	1

Standards

Applicable standard	Detail
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III).
AS/NZS 3112:2017	Approval and test specification - Plugs and socket-outlets for Australian/New Zealand Standard
WFD: 2023	Compliant to Waste Framework Directive
SCIP: 2023	Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)
POPs (EU) No 2019/1021	EU Regulation for the restriction of Persistent Organic Pollutants.

Part Number Table

Part Number	Description
555-108	Excel 8 Way Vert PDU 8x AS/NZS 3112 Socket PDU 3112 Plug
555-112	Excel 12 Way Vert PDU 12x AS/NZS 3112 Socket PDU 3112 Plug

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.

