# Excel 20 Way Vertical PDU 16x C13 4x C19 Socket Passive 16A IEC 60309 Plug

**Part Code: 555-236**

sales@excel-networking.com
excel-networking.com



## Main Features

/ Choice of C13 and C19 sockets

/ CE compliant, RoHS complaint

/ External earth facility

/ 3 metre PVC input lead is terminated with a 16 Amp rated IEC 60309 2P+E plug

/ 16A master air circuit breaker

## Product Overview

Excel range of power distribution units are designed for installation and use within 19" networking cabinets and enclosures. Each unit comprises a high quality aluminium extruded housing into which are loaded up to 24 sockets in a combination of C13 and C19.

The range of units are higher density vertical mounted with each unit fitted with a 16A master air circuit breaker and LED indicator to confirm power to the unit.



This data sheet was generated at 4:59am 24th November 2026 and is subject to change at any time.

sales@excel-networking.com
excel-networking.com

## Product Specifications

| Feature | Values |
|---|---|
| Mounting direction | **Vertical** |
| Electrical connection | **Connecting cord with plug** |
| Type of electric plug connection | **16 Amp - EN6039 Style (BS4343)** |
| Cable length | **3 m** |
| Number of C13 socket outlets | **16** |
| Number of C19 socket outlets | **4** |
| Number of rack units (RU) | **1** |
| Length | **1079 mm** |
| Width | **55 mm** |
| Height | **62 mm** |
| Supply voltage | **230 V** |
| Surge Protected | **yes** |
| With LED indication | **yes** |
| With fuse | **yes** |
| With mounting bracket | **yes** |



This data sheet was generated at 4:59am 24th November 2026 and is subject to change at any time.

## Product drawing




## Standards

| Applicable standard | Detail |
|---|---|
| BS 1363-2:2023 | 13 A plugs, socket outlets, adaptors and connection units.Part 2: 13 A switched and unswitched socket-outlets - Specification |
| IEC 60884-1:2002 + AMD1:2006 + AMD2:2013 CSV | Plugs and socket-outlets for household and similar purposes - Part1: General requirements |
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |


This data sheet was generated at 4:59am 24th November 2026 and is subject to change at any time.

| | |
|---|---|
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

## Part Code Table

| Part Code | Description |
|---|---|
| 555-236 | **Excel 20 Way Vertical PDU 16x C13 4x C19 Socket Passive 16A IEC 60309 Plug** |


This data sheet was generated at 4:59am 24th November 2026 and is subject to change at any time.