

Excel 8 Way Horizontal PDU 8x C13 Socket Passive 10A C14 Plug Switched

Part Code: 555-241

sales@excel-networking.com
excel-networking.com

CIBSE TM65 Embodied Carbon: 10.751 kg CO2e



Main Features

- / IEC 60320 C13 style sockets
- / 250 volt AC, 50/60Hz Rating, LED indicated unit power
- / External earth facility
- / High quality, light weight aluminium housing, vertical and horizontal mounting options
- / CE compliant, ROHS complaint
- / 3 metre PVC input lead terminated with IEC 60320 C14 plug

Product Overview

Excel range of power distribution units are designed for installation and use within 19" networking cabinets and enclosures. Each unit comprises a high quality aluminium extruded housing into which are loaded up to 12 sockets.

The 10 Amp PDUs benefit from having a master power switch.

Product Specifications

Excel 8 Way Horizontal PDU 8x C13 Socket Passive 10A C14 Plug Switched

Part Code: 555-241

sales@excel-networking.com
excel-networking.com

Feature	Values
Mounting dimension	19 inch
Mounting size	462 mm
Mounting direction	Horizontal
Electrical connection	Connecting cord with plug
Type of electric plug connection	C14
Cable length	3 m
Number of C13 socket outlets	8
Number of rack units (RU)	1
Length	482 mm
Width	45 mm
Height	45 mm
Supply voltage	250 V
Surge Protected	no
Switchable	yes
With LED indication	yes
With fuse	no
With mounting bracket	yes

Additional specifications

Features	Values
Rated Voltage	250 V AC 50/60 Hz
Rated current	10A
Maximum power	2500 W

Excel 8 Way Horizontal PDU 8x C13 Socket Passive 10A C14 Plug Switched

Part Code: 555-241

sales@excel-networking.com
excel-networking.com


Unit control	LED indicator. On/off rocker switch
Insulation Resistance	≥5MΩ
Fire resistance	Flame retardant
Operating temperature	-10°C to +45°C
Relative humidity	0% to 90%
Cable entry (horizontal orientation)	Left
Cable entry (vertical orientation)	Top
Socket angle (horizontal orientation)	90°
Socket angle (vertical orientation)	45°
Master Switch	Yes
Housing colour	Silver
Housing material	Aluminium

Excel 8 Way Horizontal PDU 8x C13 Socket Passive 10A C14 Plug Switched

Part Code: 555-241

sales@excel-networking.com
excel-networking.com

Product drawing



Standards

Applicable standard	Detail
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
IEC 60884-1:2002 + AMD1:2006 + AMD2:2013 CSV	Plugs and socket-outlets for household and similar purposes - Part1: General requirements
IEC 60884-2-1:2006	Plugs and socket-outlets for household and similar purposes - Part 2-1: Particular requirements for fused plugs
IEC 60884-2-2:2006	Plugs and socket-outlets for household and similar

Excel 8 Way Horizontal PDU 8x C13 Socket Passive 10A C14 Plug Switched

Part Code: 555-241

sales@excel-networking.com
excel-networking.com

	purposes - Part 2-2: Particular requirements for socket-outlets for appliances
IEC 60884-2-7:2011 + AMD1:2013 CSV	Plugs and socket-outlets for household and similar purposes - Part 2-7: Particular requirements for cord extension sets
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Part Code Table

Part Code	Description
555-241	Excel 8 Way Horizontal PDU 8x C13 Socket Passive 10A C14 Plug Switched