

# Excel 10 Way Horizontal PDU 10x C13 Socket Passive 10A C20 Plug Switched

Item Code: 555-268

**excel**  
without compromise.



IEC 60320 C13 style sockets

High quality, light weight aluminium housing

LED indicated unit power

Choose from vertical and horizontal options

250 volt AC, 50/60 Hz rating

CE compliant, ROHS compliant

CIBSE TM65 Embodied Carbon: 12.317 kg CO2e

## Product Overview

The Excel range of power distribution units are designed for installation and use within 19" networking cabinets and enclosures. Each unit comprises a high quality aluminium extruded housing into which are loaded up to 12 sockets. In this particular range each socket is IEC C13 style, the 3 metre input lead is terminated with a C20 3 pin plug.

The range of available units includes 19" horizontally mounted, and higher density vertical mounted options, each unit contains a fully shrouded switch to control input power, and a LED indicator to confirm power to the unit.

## Product Specifications

| Feature                          | Values                    |
|----------------------------------|---------------------------|
| Mounting dimension               | 19 inch                   |
| Mounting size                    | 462 mm                    |
| Mounting direction               | Horizontal                |
| Electrical connection            | Connecting cord with plug |
| Type of electric plug connection | C20                       |
| Cable length                     | 3 m                       |


# Excel 10 Way Horizontal PDU 10x C13 Socket Passive 10A C20 Plug Switched

Item Code: 555-268

**excel**  
without compromise.

|                              |        |
|------------------------------|--------|
| Number of C13 socket outlets | 10     |
| Number of rack units (RU)    | 1      |
| Length                       | 482 mm |
| Width                        | 45 mm  |
| Height                       | 60 mm  |
| Supply voltage               | 250 V  |
| Surge Protected              | no     |
| Switchable                   | yes    |
| With LED indication          | yes    |
| With fuse                    | no     |
| With mounting bracket        | yes    |

## Product drawings



# Excel 10 Way Horizontal PDU 10x C13 Socket Passive 10A C20 Plug Switched

Item Code: 555-268



## Additional specifications

| Features                             | Values                               |
|--------------------------------------|--------------------------------------|
| Rated voltage                        | 250 V AC 50/60 Hz                    |
| Rated current                        | 10 A                                 |
| Maximum power                        | 2500 W                               |
| Unit control                         | LED indicator (on/off rocker switch) |
| Insulation resistance                | $\geq 5 \text{ M}\Omega$             |
| Fire resistance                      | Flame retardant                      |
| Operating temperature                | -10 °C to +45 °C                     |
| Relative humidity                    | 0% to 90%                            |
| Cable entry (horizontal orientation) | Left                                 |
| Cable entry (vertical orientation)   | Top                                  |
| Socket angle                         | 90 °                                 |
| Master circuit breaker               | No                                   |
| Master switch                        | Yes                                  |
| Housing colour                       | Silver                               |
| Housing material                     | Aluminum                             |

## Included accessories

| Accessories      | Quantity |
|------------------|----------|
| M6 x 4 fixings   | x4       |
| User manual      | x1       |
| 6 mm earth cable | x1       |

## Standards

| Applicable standard                          | Detail  |
|--|---|
| IEC 60884-1:2002 + AMD1:2006 + AMD2:2013 CSV | Plugs and socket-outlets for household and similar purposes - Part1: General requirements                       |
| IEC 60884-2-1:2006                           | Plugs and socket-outlets for household and similar purposes - Part 2-1: Particular requirements for fused plugs |

# Excel 10 Way Horizontal PDU 10x C13 Socket Passive 10A C20 Plug Switched

Item Code: 555-268



|                                    |  |
|------------------------------------|--|
| IEC 60884-2-2:2006                 | Plugs and socket-outlets for household and similar purposes - Part 2-2: Particular requirements for socket-outlets for appliances  |
| IEC 60884-2-7:2011 + AMD1:2013 CSV | Plugs and socket-outlets for household and similar purposes - Part 2-7: Particular requirements for cord extension sets  |
| Directive 2011/65/EU (RoHS II)     | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).   |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.   |
| Directive 2008/98/EC (WFD)         | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).   |
| ECHA SCIP Database                 | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.  |
| Regulation (EU) 2019/1021 (POPs)   | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).   |
| UK SI 2012 No. 3032                | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

## Part Number Table

| Part Number | Description  |
|-------------|--|
| 555-268     | Excel 10 Way Horizontal PDU 10x C13 Socket Passive 10A C20 Plug Switched |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.