

Excel 25mm LSOH Polyprop Black Flex Conduit 50m



Item Code: 750-015



✕ Black LSOH Polypropylene

✕ Highly flexible

✕ Choice of sizes

✕ Full range of fittings

✕ CIBSE TM65 Embodied Carbon: 26.848 kg CO2e

Product Overview

Excel Polypropylene Low Smoke Zero Halogen flexible conduit provides cost effective, flexible protection to cables in sub floor, false ceiling or exposed installations. Supplied in 100 or 50 Metre lengths to enable on site installation to reduce wastage. Compatible glands and locknuts are available for fixing to sub floor, floor or desk units.

Product Specifications

| Feature | Values |
|----------------------------------------------------|--------------------|
| Material | Polypropylene (PP) |
| Bending strength | Flexible |
| Compressive strength class according to EN 61386-1 | Light (Class 2) |
| Impact strength class according to EN 61386-1 | Light (Class 2) |
| Inner diameter | 18 mm |
| Outer diameter | 25 mm |
| Operation temperature | -5...90 °C |
| Colour | Black |

Item Code: 750-015

Additional specifications

| Features | Values |
|------------------------|-----------------------------------------------------|
| Compression resistance | Class 2 = Light |
| Impact resistance | Class 2 = Light |
| Material | Polypropylene plus anti-flame and anti-UV additives |

Standards

| Applicable standard | Detail |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| IMQ EA NF | French quality mark |
| BS EN 50085-2-2 | Cable trunking systems and cable ducting systems for electrical installations. Particular requirements for cable trunking systems and cable ducting systems intended for mounting underfloor, flushfloor, or onfloor |

Part Number Table

| Part Number | Description |
|-------------|--------------------------------------------------------|
| 750-010 | Excel 20mm LSOH Polyprop Black Flex Conduit 100m |
| 750-015 | Excel 25mm LSOH Polyprop Black Flex Conduit 50m |
| 750-025 | Excel 20mm LSOH Gland + Locknut Black (10-Pack) |
| 750-030 | Excel 25mm LSOH Gland + Locknut Black (10-Pack) |
| 750-035 | Excel 20mm Contractors Pack 10m LSOH Conduit 10 Glands |
| 750-040 | Excel 25mm Contractor Pack 10m LSOH Conduit 10 Glands |
| 750-045 | Excel 20mm LSOH 3m Conduit Assembly Gland/Locknut |
| 750-055 | Excel 20mm LSOH 5m Conduit Assembly Gland/Locknut |
| 750-060 | Excel 25mm LSOH 3m Conduit Assembly Gland/Locknut |
| 750-070 | Excel 25mm LSOH 5m Conduit Assembly Gland/Locknut |
| 750-075 | Excel 32mm LSOH 3m Conduit Assembly Gland/Locknut |
| 750-085 | Excel 32mm LSOH 5m Conduit Assembly Gland/Locknut |

Excel 25mm LSOH Polyprop Black Flex Conduit 50m

Item Code: 750-015



Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.