

Excel Encasa Compact Customer Splice Point 4 Fibre

Part Code: 911-000

sales@excel-networking.com
excel-networking.com



Main Features

- / IP54 rated
- / Internal/external
- / RoHS compliant
- / Holds 4 heatshrink splice protectors
- / UL94-V0

Product Overview

The Encasa range of customer splice points have been designed to fit within the FTTx network. These enclosures can be wall mounted. Made from 100% virgin UL94-V0 rated material, UV stable and are IP54 rated, allowing them to be used in both internal and external applications.

This Encasa customer splice point accommodates up to 4 splice connections. The splice point has integrated fibre management allowing 250 µm and 900 µm fibre to be installed, keeping the fibres safe and always maintaining the required bend radius.

Excel Encasa Compact Customer Splice Point 4 Fibre

Part Code: 911-000

sales@excel-networking.com
excel-networking.com

Product Specifications

Feature	Values
Surface mounted	yes
With couplers	no
Suitable for type of fibre	Multi mode/single mode
IP-rating	IP55
Ambient temperature	-40...60 °C
Width	98.5 mm
Height	103.8 mm
Depth	21 mm


Excel Encasa Compact Customer Splice Point 4 Fibre

Part Code: 911-000

sales@excel-networking.com
excel-networking.com

Product drawing

DIMENSIONS



Front View

21 mm



Side View



Bottom up View

Additional specifications

Feature	Value
Operating Temperature	-40 to +80 °C
IP Rating	IP20
Material	Colds rolled steel and Polycarbonate
Material Thickness	1.2 mm
Material Coating(Metal)	Powder coating

Excel Encasa Compact Customer Splice Point 4 Fibre

Part Code: 911-000

sales@excel-networking.com
excel-networking.com

RoHs Compliant Adaptor

yes

Included accessories

Accessories	Quantity
Cage nuts and screws	1 pk

Standards

Applicable standard	Detail
In accordance with ISO 11801, EN 50173 and ANSI/TIA 568-E.	Compliance with International Standards ISO 11801, EN 50173 and ANSI/TIA 568-E, necessitates that this product/component adheres to all relevant normative references specified within these standards.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.

Excel Encasa Compact Customer Splice Point 4 Fibre



Part Code: 911-000

sales@excel-networking.com
excel-networking.com

UK SI 2012 No. 3032

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Part Code Table

Part Code	Description
911-000	Excel Encasa Compact Customer Splice Point 4 Fibre