

# Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Grey

Part Code: 916-003

sales@excel-networking.com  
excel-networking.com



FTTx  
solutions



## Main Features

- / Designated splitter area
- / Accepts LC quad or SC duplex flangless adaptors
- / UL 94 V-0
- / IP56 rated
- / Internal/external
- / RoHS compliant

## Product Overview

The Encasa range of fibre distribution points have been designed to fit within the FTTx network. These enclosures can be aerial or wall mounted. Made from 100% virgin UL 94 V-0 rated material, UV stable and are IP56 rated, allowing them to be used in both internal and external applications. This Encasa fibre distribution point accommodates 16 fibres (using LC connections) or 8 fibres (using SC connections). Flexibility is increased through the option to use the enclosure for traditional splicing of cables with a capacity of 24 fibres and the installation of pre-terminated cables via the split gland cable exit points that accept both flat and round cable. The use of splitters is also possible with mounting positions for up to 4 units found on the underside of the adaptor tray. Blown fibre installations can also be accommodated, with a dedicated gas seal holder housed within the cable storage area...

# Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Grey

Part Code: 916-003

sales@excel-networking.com  
excel-networking.com

## Product Specifications

Feature	Values
Surface mounted	yes
Type of connector	LCA/SCA
With couplers	yes
Suitable for type of fibre	Single mode
IP-rating	IP56
Ambient temperature	-40...60 °C
Width	155 mm
Height	193 mm
Depth	77 mm

## Additional specifications

Features	Values
Maximum number of fibres	8 SC or 16 LC
Maximum number of splices	24
Adaptor type	SC simplex or LC quad
Maximum number of adaptor positions	4
IP rating	IP56 (suitable for internal and external installations)
UV stable	Yes
Material	ABS + PC
UL94-V0	Yes
Colour (Other colours available subject to MOQ)	Light Grey (RAL 7035) or black (RAL 9005)

# Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Grey

Part Code: 916-003

sales@excel-networking.com  
excel-networking.com

Dimensions (mm)

193 mm H x 155 mm W x 77 mm D

## Splitter Options

Features	Values
1:4 plc plitter	Max. 4
1:8 plc splitter	Max. 2
1:16 plc splitter	Max. 1

## Cable Entry and Exit Parameters

Features	Values
Number of feeder cable entry points	2
Midspan capability	Yes
Cable diameter	6 mm to 12 mm
Number of drop cable exit points	16
Cable diameter	3 mm - 6 mm
Number of rear cable netry points	1
Cable diameter	6 mm - 12 mm

## LC and SC/APC Adaptor Specification

Features	Values
Insertion loss	< 0.2 dB
Durability (500 mating)	< 0.2 dB max increase
Operating temperature	-40°C to 80°C
Retention force	200 - 600 grams
Alignment sleeve material	Ceramic
Flammability rated	UL 94 V-0
Polish type	APC

# Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Grey

Part Code: 916-003

sales@excel-networking.com  
excel-networking.com

## Splitter Specification

Features	Values
	<b>1x4 1x8 1x16</b>
Operating wacelength	<b>1260 to 1650</b>
Fibre type	<b>G.657.A2</b>
Temperature stability (dB) at -40°C to 85°C	<b>≤ 0.4 ≤ 0.4 ≤ 0.5</b>
Storage temperature	<b>-40°C to 85°C</b>
Return loss	<b>≥ 55 dB</b>

## Standards

Applicable standard	Detail
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates

# Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Grey

**Part Code: 916-003**

[sales@excel-networking.com](mailto:sales@excel-networking.com)  
[excel-networking.com](http://excel-networking.com)

	(DEHP, BBP, DBP, DIBP) to Annex II — compliant.
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

## Part Code Table

Part Code	Description
916-000	<b>Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 4x 1:4 Splitter Black</b>
916-001	<b>Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 4x 1:4 Splitter Grey</b>
916-002	<b>Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Black</b>
916-003	<b>Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 2x 1:8</b>

# Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Grey

Part Code: 916-003

sales@excel-networking.com  
excel-networking.com

## Splitter Grey

916-004	Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 1x 1:16 Splitter Black
916-005	Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 2x 1:16 Splitter Grey
916-006	Excel Encasa 16 Fibre Distribution Point with 8 SCA Connections + 1x 1:8 Splitter Black
916-007	Excel Encasa 16 Fibre Distribution Point with 8 SCA Connections + 1x 1:8 Splitter Grey
916-008	Excel Encasa 16 Fibre Distribution Point with 8 SCA Connections + 2x 1:4 Splitter Black
916-009	Excel Encasa 16 Fibre Distribution Point with 8 SCA Connections + 2x 1:4 Splitter Grey
916-010	Excel Encasa 16 Fibre Distribution Point with 4 LCA Connections Black
916-011	Excel Encasa 16 Fibre Distribution Point with 4 LCA Connections Grey
916-012	Excel Encasa 16 Fibre Distribution Point with 8 LCA Connections Black
916-013	Excel Encasa 16 Fibre Distribution Point with 8 LCA Connections Grey
916-014	Excel Encasa 16 Fibre Distribution Point with 12 LCA Connections Black
916-015	Excel Encasa 16 Fibre Distribution Point with 12 LCA Connections Grey
916-016	Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections Black
916-017	Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections Grey
916-018	Excel Encasa 16 Fibre Distribution Point with 2 SCA Connections Black
916-019	Excel Encasa 16 Fibre Distribution Point with 2 SCA Connections Grey
916-020	Excel Encasa 16 Fibre Distribution Point with 4 SCA Connections Black
916-021	Excel Encasa 16 Fibre Distribution Point with 4 SCA Connections Grey
916-022	Excel Encasa 16 Fibre Distribution Point with 6 SCA Connections Black
916-023	Excel Encasa 16 Fibre Distribution Point with 6 SCA Connections Grey
916-024	Excel Encasa 16 Fibre Distribution Point with 8 SCA Connections Black

# Excel Encasa 16 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Grey

Part Code: 916-003

sales@excel-networking.com  
excel-networking.com

916-025	Excel Encasa 16 Fibre Distribution Point with 8 SCA Connections Grey
916-026	Excel Encasa 16 Fibre Distribution Point with 10 SCA Connections Black
916-046	Excel Encasa 16 Fibre Distribution Point with 4 LCA Connections + 1x 1:4 Splitter Black
916-047	Excel Encasa 16 Fibre Distribution Point with 4 LCA Connections + 1x 1:4 Splitter Grey
916-048	Excel Encasa 16 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Black
916-049	Excel Encasa 16 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey
916-050	Excel Encasa 16 Fibre Distribution Point with 12 LCA Connections + 3x 1:4 Splitter Black
916-051	Excel Encasa 16 Fibre Distribution Point with 12 LCA Connections + 3x 1:4 Splitter Grey
916-052	Excel Encasa 16 Fibre Distribution Point with 8 LCA Connections + 1x 1:8 Splitter Black
916-053	Excel Encasa 16 Fibre Distribution Point with 8 LCA Connections + 1x 1:8 Splitter Grey
916-054	Excel Encasa 16 Fibre Distribution Point with 4 SCA Connections + 1x 1:4 Splitter Black
916-055	Excel Encasa 16 Fibre Distribution Point with 4 SCA Connections + 1x 1:4 Splitter Grey
916-056	Excel Encasa 16 Fibre Distribution Point Unloaded Grey
916-077	Excel Encasa 16 Fibre Distribution Point Unloaded Black