

Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections Black

Item Code: 936-071

excel
without compromise.

FTTx
solutions



Designated splitter area

IP56 rated

Accepts LC Duplex or SC Simplex

Internal/external

UL 94-V0

RoHS compliant

Product Overview

The Encasa range of fibre distribution points has been meticulously designed to seamlessly integrate into the FTTx network. These enclosures can be aerially or wall-mounted. Crafted from 100% virgin UL 94-V0 rated material, UV stable, and boasting an IP56 rating, they excel in both internal and external applications.

This Encasa fibre distribution point accommodates 36 fibres (using LC connections) or 18 fibres (using SC connections). Flexibility is enhanced through the option to utilize the enclosure for traditional cable splicing with a capacity of 36 fibres and for the installation of pre-terminated cables via the split gland cable exit points.

The use of splitters is also supported, with mounting positions for up to 8 units located on the underside of the adaptor tray. Each enclosure comes pre-loaded with APC adaptors and splitters. The splitters are terminated with APC connections on the outgoing end and left unterminated on the incoming end as standard.

Options are available to be loaded with adaptors and standard pigtails or with adaptors only. The cable entry points allow for midspan cable installation and for cables to be passed through to provide feed to additional enclosures in the network.

Integrated fibre management allows for the installation of 250 μm and 900 μm fibres, ensuring the safety of the fibres and maintaining the required bend radius.

Product Specifications

| Feature | Values |
|-------------------|---------|
| Surface mounted | yes |
| Type of connector | LCA/SCA |
| With couplers | yes |

Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections Black

Item Code: 936-071



| | |
|----------------------------|-------------|
| Suitable for type of fibre | Single mode |
| IP-rating | IP56 |
| Ambient temperature | -40...60 °C |
| Width | 148 mm |
| Height | 320 mm |
| Depth | 102 mm |

Additional specifications

| Features | Values |
|---|---|
| Maximum number of fibres | 36 |
| Maximum number of splices | 36 |
| Adaptor type | SC simplex or LC duplex |
| Maximum number of adaptor positions | 18 |
| IP rating | IP56 (suitable for internal and external installations) |
| UV stable | Yes |
| Material | ABS + PC |
| UL94-V0 | Yes |
| Colour (Other colours available subject to MOQ) | Light grey (RAL 7035) or black (RAL 9005) |
| Dimensions (mm) | 320 mm H x 148 mm W x 102 mm D |

Splitter Options

| Features | Values |
|-------------------|--------|
| 1:4 plc splitter | Max. 8 |
| 1:8 plc splitter | Max. 8 |
| 1:16 plc splitter | Max. 2 |
| 1:32 plc splitter | Max. 1 |

Cable Entry and Exit Parameters

| Features | Values |
|-------------------------------------|--------------|
| Number of feeder cable entry points | 4 |
| Midspan capability | Yes |
| Cable diameter | 6 mm - 12 mm |
| Number of drop cable exit points | 36 |

Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections Black

Item Code: 936-071



Cable diameter 3 mm - 6 mm

LC and SC /APC Adaptor Specification

| Features | Values |
|---------------------------|-----------------------|
| Insertion loss | < 0.2 dB |
| Durability (500 mating) | < 0.2 dB max increase |
| Operating temperature | -40°C to 80°C |
| Retention force | 200 - 600 grams |
| Alignment sleeve material | Ceramic |
| Flammability rated | UL 94 V-0 |
| Polish type | APC |

Splitter Specification

| Features | Values |
|---|---------------|
| Operating wacelength | 1260 to 1650 |
| Fibre type | G.657.A2 |
| Temperature stability (dB) at -40°C to 85°C | ≤ 0.4 |
| Storage temperature | -40°C to 85°C |
| Return loss | ≥ 55 dB |

Standards

| Applicable standard | Detail |
|------------------------------------|---|
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988). |
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with |

Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections Black

Item Code: 936-071



the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).

UK SI 2012 No. 3032

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Part Number Table

| Part Number | Description |
|-------------|---|
| 936-000 | Excel Encasa 36 Fibre Distribution Point Unloaded Black |
| 936-001 | Excel Encasa 36 Fibre Distribution Point with 4 LCA Connections Black |
| 936-002 | Excel Encasa 36 Fibre Distribution Point with 4 LCA Connections Grey |
| 936-003 | Excel Encasa 36 Fibre Distribution Point with 8 LCA Connections Black |
| 936-004 | Excel Encasa 36 Fibre Distribution Point with 8 LCA Connections Grey |
| 936-005 | Excel Encasa 36 Fibre Distribution Point with 12 LCA Connections Black |
| 936-006 | Excel Encasa 36 Fibre Distribution Point with 12 LCA Connections Grey |
| 936-007 | Excel Encasa 36 Fibre Distribution Point with 16 LCA Connections Black |
| 936-008 | Excel Encasa 36 Fibre Distribution Point with 16 LCA Connections Grey |
| 936-009 | Excel Encasa 36 Fibre Distribution Point with 32 LCA Connections Black |
| 936-010 | Excel Encasa 36 Fibre Distribution Point with 32 LCA Connections Grey |
| 936-011 | Excel Encasa 36 Fibre Distribution Point with 36 LCA Connections Black |
| 936-012 | Excel Encasa 36 Fibre Distribution Point with 36 LCA Connections Grey |
| 936-025 | Excel Encasa 36 Fibre Distribution Point with 4 LCA Connections + 1x 1:4 Splitter Black |
| 936-026 | Excel Encasa 36 Fibre Distribution Point with 4 LCA Connections + 1x 1:4 Splitter Grey |
| 936-027 | Excel Encasa 36 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Black |
| 936-028 | Excel Encasa 36 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey |
| 936-029 | Excel Encasa 36 Fibre Distribution Point with 8 LCA Connections + 1x 1:8 Splitter Black |
| 936-030 | Excel Encasa 36 Fibre Distribution Point with 8 LCA Connections + 1x 1:8 Splitter Grey |

Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections Black

Item Code: 936-071



| | |
|---------|---|
| 936-031 | Excel Encasa 36 Fibre Distribution Point with 12 LCA Connections + 3x 1:4 Splitter Black |
| 936-032 | Excel Encasa 36 Fibre Distribution Point with 12 LCA Connections + 3x 1:4 Splitter Grey |
| 936-033 | Excel Encasa 36 Fibre Distribution Point with 16 LCA Connections + 4x 1:4 Splitter Black |
| 936-034 | Excel Encasa 36 Fibre Distribution Point with 16 LCA Connections + 4x 1:4 Splitter Grey |
| 936-035 | Excel Encasa 36 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Black |
| 936-036 | Excel Encasa 36 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Grey |
| 936-037 | Excel Encasa 36 Fibre Distribution Point with 16 LCA Connections + 1x 1:16 Splitter Black |
| 936-038 | Excel Encasa 36 Fibre Distribution Point with 16 LCA Connections + 1x 1:16 Splitter Grey |
| 936-039 | Excel Encasa 36 Fibre Distribution Point with 32 LCA Connections + 8x 1:4 Splitter Black |
| 936-040 | Excel Encasa 36 Fibre Distribution Point with 32 LCA Connections + 8x 1:4 Splitter Grey |
| 936-041 | Excel Encasa 36 Fibre Distribution Point with 32 LCA Connections + 2x 1:16 Splitter Black |
| 936-042 | Excel Encasa 36 Fibre Distribution Point with 32 LCA Connections + 2x 1:16 Splitter Grey |
| 936-043 | Excel Encasa 36 Fibre Distribution Point with 32 LCA Connections + 1x 1:32 Splitter Black |
| 936-044 | Excel Encasa 36 Fibre Distribution Point with 32 LCA Connections + 1x 1:32 Splitter Grey |
| 936-065 | Excel Encasa 36 Fibre Distribution Point with 4 SCA Connections Black |
| 936-066 | Excel Encasa 36 Fibre Distribution Point with 4 SCA Connections Grey |
| 936-067 | Excel Encasa 36 Fibre Distribution Point with 8 SCA Connections Black |
| 936-068 | Excel Encasa 36 Fibre Distribution Point with 8 SCA Connections Grey |
| 936-069 | Excel Encasa 36 Fibre Distribution Point with 12 SCA Connections Black |
| 936-070 | Excel Encasa 36 Fibre Distribution Point with 12 SCA Connections Grey |
| 936-071 | Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections Black |
| 936-072 | Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections Grey |
| 936-081 | Excel Encasa 36 Fibre Distribution Point with 4 SCA Connections + 1x 1:4 Splitter Black |

Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections Black

Item Code: 936-071



| | |
|---------|---|
| 936-082 | Excel Encasa 36 Fibre Distribution Point with 4 SCA Connections + 1x 1:4 Splitter Grey |
| 936-083 | Excel Encasa 36 Fibre Distribution Point with 8 SCA Connections + 2x 1:4 Splitter Black |
| 936-084 | Excel Encasa 36 Fibre Distribution Point with 8 SCA Connections + 2x 1:4 Splitter Grey |
| 936-085 | Excel Encasa 36 Fibre Distribution Point with 8 SCA Connections + 1x 1:8 Splitter Black |
| 936-086 | Excel Encasa 36 Fibre Distribution Point with 8 SCA Connections + 1x 1:8 Splitter Grey |
| 936-087 | Excel Encasa 36 Fibre Distribution Point with 12 SCA Connections + 3x 1:4 Splitter Black |
| 936-088 | Excel Encasa 36 Fibre Distribution Point with 12 SCA Connections + 3x 1:4 Splitter Grey |
| 936-089 | Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections + 4x 1:4 Splitter Black |
| 936-090 | Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections + 4x 1:4 Splitter Grey |
| 936-091 | Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections + 2x 1:8 Splitter Black |
| 936-092 | Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections + 2x 1:8 Splitter Grey |
| 936-093 | Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections + 1x 1:16 Splitter Black |
| 936-094 | Excel Encasa 36 Fibre Distribution Point with 16 SCA Connections + 1x 1:16 Splitter Grey |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.