

# Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey

Part Code: 948-043

sales@excel-networking.com  
excel-networking.com

FTTx  
solutions



## Main Features

- / Designated splitter area
- / Accepts LC quad or SC duplex flangless adaptors
- / UL 94 V-0
- / IP56 rated
- / Internal/external
- / RoHS compliant

## Product Overview

The Encasa range of fibre distribution points have been designed to fit within the FTTx network. These enclosures can be aerial or wall mounted. Made from 100% virgin UL 94 V-0 rated material, UV stable and are IP56 rated, allowing them to be used in both internal and external applications. This Encasa fibre distribution point accommodates 48 fibres (using LC connections) or 32 fibres (using SC connections). Flexibility is increased through the option to use the enclosure for traditional splicing of cables with a capacity of 120 fibres and the installation of pre-terminated cables via the 96 split gland cable exit points 48 on the top and bottom of the enclosure that accept both flat and round cable. The use of splitters is also possible with mounting positions for up to 12 units found under the splice trays. Each enclosure comes pre-loaded with APC adaptors and splitters. The splitters are...

# Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey

Part Code: 948-043

sales@excel-networking.com  
excel-networking.com

## Product Specifications

| Feature                    | Values      |
|----------------------------|-------------|
| Surface mounted            | yes         |
| With couplers              | yes         |
| Suitable for type of fibre | Single mode |
| IP-rating                  | IP56        |
| Ambient temperature        | -40...60 °C |
| Width                      | 295 mm      |
| Height                     | 368 mm      |
| Depth                      | 130 mm      |

## Additional specifications

| Features                            | Values  |
|-------------------------------------|---|
| Maximum number of fibres            | 32 SC or 48 LC  |
| Maximum number of splices trays     | 5   |
| Maximum number of fibres per tray   | 24  |
| Maximum number of splices           | 120   |
| Adaptor type                        | SC simplex or LC duplex                                 |
| Maximum number of adaptor positions | 32  |
| IP rating                           | IP56 (suitable for internal and external installations) |
| UV stable                           | Yes   |
| Material                            | ABS + PC  |
| UL94-V0                             | Yes   |

# Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey

Part Code: 948-043

sales@excel-networking.com  
excel-networking.com

Colour (Other colours available subject to MOQ)

**Light grey (RAL 7035) or black (RAL 9005)**

Dimensions (mm)

**368 mm H x 295 mm W x 130 mm D**

## Splicer Options

| Features          | Values         |
|-------------------|----------------|
| 1:4 plc splitter  | <b>Max. 12</b> |
| 1:8 plc splitter  | <b>Max. 12</b> |
| 1:16 plc splitter | <b>Max. 8</b>  |

## Cable Entry and Exit Parameters

| Features                               | Values                      |
|--|-----------------------------|
| Number of feeder cable entry points    | <b>4 top and 4 bottom</b>   |
| Midspan capability                     | <b>Yes</b>                  |
| Cable diameter using compression gland | <b>5 mm to 13.5 mm</b>      |
| Cable diameter using rubber grommet    | <b>5 mm to 20 mm</b>        |
| Number of cables exit points           | <b>48 top and 48 bottom</b> |
| Cable diameter                         | <b>3 mm - 6 mm</b>          |

## LC and SC/APC Adaptor Specification

| Features                  | Values                          |
|---------------------------|---------------------------------|
| Insertion loss            | <b>&lt; 0.2 dB</b>              |
| Durability (500 mating)   | <b>&lt; 0.2 dB max increase</b> |
| Operating temperature     | <b>-40°C to 80°C</b>            |
| Retention force           | <b>200 - 600 grams</b>          |
| Alignment sleeve material | <b>Ceramic</b>                  |
| Flammability rated        | <b>UL 94 V-0</b>                |
| Polish type               | <b>APC</b>                      |

# Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey

Part Code: 948-043

sales@excel-networking.com  
excel-networking.com

## Splitter Specification

| Features                                    | Values                   |
|---|--------------------------|
|   | <b>1x4 1x8 1x16</b>      |
| Operating wavelength                        | <b>1260 to 1650</b>      |
| Fibre type                                  | <b>G.657.A2</b>          |
| Temperature stability (dB) at -40°C to 85°C | <b>≤ 0.4 ≤ 0.4 ≤ 0.5</b> |
| Storage temperature                         | <b>-40°C to 85°C</b>     |
| Return loss                                 | <b>≥ 55 dB</b>           |

## Standards

| Applicable standard                | Detail   |
|------------------------------------|--|
| Directive 2011/65/EU (RoHS II)     | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).   |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.   |
| Directive 2008/98/EC (WFD)         | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).   |
| ECHA SCIP Database                 | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.                              |
| Regulation (EU) 2019/1021 (POPs)   | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032                | The Restriction of the Use of Certain Hazardous  |

# Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey

Part Code: 948-043

sales@excel-networking.com  
excel-networking.com

Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

## Part Code Table

| Part Code | Description  |
|-----------|--|
| 948-000   | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 8x 1:4 Splitter Grey  |
| 948-001   | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections + 12x 1:4 Splitter Grey |
| 948-002   | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 4x 1:8 Splitter Grey  |
| 948-003   | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections + 6x 1:8 Splitter Grey  |
| 948-004   | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 2x 1:16 Splitter Grey |
| 948-005   | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections + 3x 1:16 Splitter Grey |
| 948-006   | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 1x 1:32 Splitter Grey |
| 948-007   | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + 4x 1:8 Splitter Grey  |
| 948-008   | Excel Encasa 48 Fibre Distribution Point with 4 LCA Connections Black                    |
| 948-009   | Excel Encasa 48 Fibre Distribution Point with 4 LCA Connections Grey                     |
| 948-010   | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections Black                    |
| 948-011   | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections Grey                     |
| 948-012   | Excel Encasa 48 Fibre Distribution Point with 12 LCA Connections Black                   |

# Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey

Part Code: 948-043

sales@excel-networking.com  
excel-networking.com

|         |  |
|---------|--|
| 948-013 | Excel Encasa 48 Fibre Distribution Point with 12 LCA Connections Grey                    |
| 948-014 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections Black                   |
| 948-015 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections Grey                    |
| 948-016 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections Black                   |
| 948-017 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections Grey                    |
| 948-018 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections Black                   |
| 948-019 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections Grey                    |
| 948-020 | Excel Encasa 48 Fibre Distribution Point with 36 LCA Connections Black                   |
| 948-021 | Excel Encasa 48 Fibre Distribution Point with 36 LCA Connections Grey                    |
| 948-022 | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections Black                   |
| 948-040 | Excel Encasa 48 Fibre Distribution Point with 4 LCA Connections + 1x 1:4 Splitter Black  |
| 948-041 | Excel Encasa 48 Fibre Distribution Point with 4 LCA Connections + 1x 1:4 Splitter Grey   |
| 948-042 | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Black  |
| 948-043 | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey   |
| 948-044 | Excel Encasa 48 Fibre Distribution Point with 12 LCA Connections + 3x 1:4 Splitter Black |
| 948-045 | Excel Encasa 48 Fibre Distribution Point with 12 LCA Connections + 3x 1:4 Splitter Grey  |
| 948-046 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + 4x 1:4 Splitter Black |
| 948-047 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + 4x 1:4 Splitter Grey  |
| 948-048 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections + 6x 1:4 Splitter Black |
| 948-049 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections + 6x 1:4 Splitter Grey  |

# Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey

Part Code: 948-043

sales@excel-networking.com  
excel-networking.com

|         |   |
|---------|---|
| 948-050 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 8x 1:4 Splitter Black  |
| 948-051 | Excel Encasa 48 Fibre Distribution Point with 36 LCA Connections + 9x 1:4 Splitter Black  |
| 948-052 | Excel Encasa 48 Fibre Distribution Point with 36 LCA Connections + 9x 1:4 Splitter Grey   |
| 948-053 | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections + 12x 1:4 Splitter Black |
| 948-054 | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 1x 1:8 Splitter Black   |
| 948-055 | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 1x 1:8 Splitter Grey    |
| 948-056 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Black  |
| 948-057 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + 2x 1:8 Splitter Grey   |
| 948-058 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections + 3x 1:8 Splitter Black  |
| 948-059 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections + 3x 1:8 Splitter Grey   |
| 948-060 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 4x 1:8 Splitter Black  |
| 948-061 | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections + 6x 1:8 Splitter Black  |
| 948-062 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + 1x 1:16 Splitter Black |
| 948-063 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + 1x 1:16 Splitter Grey  |
| 948-064 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 2x 1:16 Splitter Black |
| 948-065 | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections + 3x 1:16 Splitter Black |

# Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey

Part Code: 948-043

sales@excel-networking.com  
excel-networking.com

|         |   |
|---------|---|
| 948-066 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 1x 1:32 Splitter Black |
| 948-095 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 2x 1:16 Splitter Grey  |
| 948-100 | Excel Encasa 48 Fibre Distribution Point with 4 SCA Connections Black                     |
| 948-101 | Excel Encasa 48 Fibre Distribution Point with 4 SCA Connections Grey                      |
| 948-102 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections Black                     |
| 948-103 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections Grey                      |
| 948-104 | Excel Encasa 48 Fibre Distribution Point with 12 SCA Connections Black                    |
| 948-105 | Excel Encasa 48 Fibre Distribution Point with 12 SCA Connections Grey                     |
| 948-106 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections Black                    |
| 948-107 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections Grey                     |
| 948-108 | Excel Encasa 48 Fibre Distribution Point with 24 SCA Connections Black                    |
| 948-109 | Excel Encasa 48 Fibre Distribution Point with 24 SCA Connections Grey                     |
| 948-110 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections Black                    |
| 948-111 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections Grey                     |
| 948-124 | Excel Encasa 48 Fibre Distribution Point with 4 SCA Connections + 1x 1:4 Splitter Black   |
| 948-125 | Excel Encasa 48 Fibre Distribution Point with 4 SCA Connections + 1x 1:4 Splitter Grey    |
| 948-126 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections + 2x 1:4 Splitter Black   |
| 948-127 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections + 2x 1:4 Splitter Grey    |
| 948-128 | Excel Encasa 48 Fibre Distribution Point with 12 SCA Connections + 3x 1:4 Splitter Black  |
| 948-129 | Excel Encasa 48 Fibre Distribution Point with 12 SCA Connections + 3x 1:4 Splitter Grey   |
| 948-130 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections + 4x 1:4                 |

# Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey

Part Code: 948-043

sales@excel-networking.com  
excel-networking.com

## Splitter Black

|         |   |
|---------|---|
| 948-131 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections + 4x 1:4 Splitter Grey   |
| 948-132 | Excel Encasa 48 Fibre Distribution Point with 24 SCA Connections + 6x 1:4 Splitter Black  |
| 948-133 | Excel Encasa 48 Fibre Distribution Point with 24 SCA Connections + 6x 1:4 Splitter Grey   |
| 948-134 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + 8x 1:4 Splitter Black  |
| 948-135 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + 8x 1:4 Splitter Grey   |
| 948-136 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections + 1x 1:8 Splitter Black   |
| 948-137 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections + 1x 1:8 Splitter Grey    |
| 948-138 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections + 2x 1:8 Splitter Black  |
| 948-139 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections + 2x 1:8 Splitter Grey   |
| 948-140 | Excel Encasa 48 Fibre Distribution Point with 24 SCA Connections + 3x 1:8 Splitter Black  |
| 948-141 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + 4x 1:8 Splitter Black  |
| 948-142 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + 4x 1:8 Splitter Grey   |
| 948-143 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections + 1x 1:16 Splitter Black |
| 948-144 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections + 1x 1:16 Splitter Grey  |
| 948-145 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + 2x 1:16 Splitter Black |
| 948-146 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + 2x 1:16 Splitter Grey  |

# Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Grey

Part Code: 948-043

sales@excel-networking.com  
excel-networking.com

948-147

**Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + 1x 1:32 Splitter Black**

948-148

**Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + 1x 1:32 Splitter Grey**