
Item Code: 948-132







Product Overview

The Encasa range of fibre distribution points have been designed to fit within the FTTx network. These enclosures can be aerial or wall mounted. Made from 100% virgin UL 94 V-0 rated material, UV stable and are IP56 rated, allowing them to be used in both internal and external applications. This Encasa fibre distribution point accommodates 48 fibres (using LC connections) or 32 fibres (using SC connections).

Flexibility is increased through the option to use the enclosure for traditional splicing of cables with a capacity of 120 fibres and the installation of pre-terminated cables via the 96 split gland cable exit points 48 on the top and bottom of the enclosure that accept both flat and round cable. The use of splitters is also possible with mounting positions for up to 12 units found under the splice trays. Each enclosure comes pre-loaded with APC adaptors and splitters.

The splitters are terminated with APC connections on the outgoing end and unterminated on the incoming end as standard. Options are available to have adaptors and standard pigtails or loaded with adaptors only. The adaptor field has been designed so each stack of adaptors can be pulled up to allow better access to plug and unplug connections.

The cable entry points allow for midspan cable installation and for cable to be passed through to feed further enclosures in the network. Integrated fibre management allows 250 μ m and 900 μ m fibre to be installed, keeping the fibres safe and always maintaining the required bend radius.

Product Specifications

| Feature | Values |
|----------------------------|-------------|
| Surface mounted | yes |
| With couplers | yes |
| Suitable for type of fibre | Single mode |
| IP-rating | IP56 |

Item Code: 948-132



| Ambient temperature | -4060 °C |
|---------------------|----------|
| Width | 295 mm |
| Height | 368 mm |
| Depth | 130 mm |

Additional specifications

| Features | Values |
|---|---|
| Maximum number of fibres | 32 SC or 48 LC |
| Maximum number of splices trays | 5 |
| Maximum nember of fibres per tray | 24 |
| Maximum number of splices | 120 |
| Adaptor type | SC simplex or LC duplex |
| Maximum number of adaptor positions | 32 |
| IP rating | IP56 (suitable for internal and external installations) |
| UV stable | Yes |
| Material | ABS + PC |
| UL94-V0 | Yes |
| Colour (Other colours available subject to MOQ) | Light grey (RAL 7035) or black (RAL 9005) |
| Dimensions (mm) | 368 mm H x 295 mm W x 130 mm D |

Splicer Options

| Features | Values |
|-------------------|---------|
| 1:4 plc splitter | Max. 12 |
| 1:8 plc splitter | Max. 12 |
| 1:16 plc splitter | Max. 8 |

Cable Entry and Exit Parameters

| Features | Values |
|--|----------------------|
| Number of feeder cable entry points | 4 top and 4 bottom |
| Midspan capability | Yes |
| Cable diameter using compression gland | 5 mm to 13.5 mm |
| Cable diameter using rubber grommet | 5 mm to 20 mm |
| Number of cables exit points | 48 top and 48 bottom |
| | |

Item Code: 948-132



Cable diameter 3 mm - 6 mm

LC and SC/APC Adaptor Specification

| Features | Values |
|---------------------------|-----------------------|
| Insertion loss | < 0.2 dB |
| Durability (500 mating) | < 0.2 dB max increase |
| Operating temperature | -40°C to 80°C |
| Retention force | 200 - 600 grams |
| Alignment sleeve material | Ceramic |
| Flammability rated | UL 94 V-0 |
| Polish type | APC |

Splitter Specification

| Features | Values |
|---|------------------------------|
| | 1x4 1x8 1x16 |
| Operating wavelength | 1260 to 1650 |
| Fibre type | G.657.A2 |
| Temperature stability (dB) at -40°C to 85°C | $\leq 0.4 \leq 0.4 \leq 0.5$ |
| Storage temperature | -40°C to 85°C |
| Return loss | ≥ 55 dB |

Standards

| Applicable standard | Detail |
|--|---|
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| WFD: 2023 | Compliant to Waste Framework Directive |
| SCIP: 2023 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products) |
| POPs (EU) No 2019/1021 | EU Regulation for the restriction of Persistent Organic Pollutants. |

Item Code: 948-132



Part Number Table

| Part Number | Description |
|-------------|--|
| 948-000 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 8x 1:4 Splitter Grey |
| 948-001 | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections $+\ 12x\ 1:4$ Splitter Grey |
| 948-002 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + $4x\ 1:8$ Splitter Grey |
| 948-003 | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections $+\ 6x\ 1:8$ Splitter Grey |
| 948-004 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + $2x\ 1:16$ Splitter Grey |
| 948-005 | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections $+\ 3x\ 1:16$ Splitter Grey |
| 948-006 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + $1 \times 1:32$ Splitter Grey |
| 948-007 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + $4x$ 1:8 Splitter Grey |
| 948-008 | Excel Encasa 48 Fibre Distribution Point with 4 LCA Connections Black |
| 948-009 | Excel Encasa 48 Fibre Distribution Point with 4 LCA Connections Grey |
| 948-010 | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections Black |
| 948-011 | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections Grey |
| 948-012 | Excel Encasa 48 Fibre Distribution Point with 12 LCA Connections Black |
| 948-013 | Excel Encasa 48 Fibre Distribution Point with 12 LCA Connections Grey |
| 948-014 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections Black |
| 948-015 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections Grey |
| 948-016 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections Black |
| 948-017 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections Grey |
| 948-018 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections Black |
| 948-019 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections Grey |
| 948-020 | Excel Encasa 48 Fibre Distribution Point with 36 LCA Connections Black |
| 948-021 | Excel Encasa 48 Fibre Distribution Point with 36 LCA Connections Grey |
| 948-022 | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections Black |
| 948-040 | Excel Encasa 48 Fibre Distribution Point with 4 LCA Connections $+\ 1x\ 1:4$ Splitter Black |
| 948-041 | Excel Encasa 48 Fibre Distribution Point with 4 LCA Connections + 1x 1:4 |

Item Code: 948-132



| | Splitter Grey |
|---------|---|
| 948-042 | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + 2x 1:4 Splitter Black |
| 948-043 | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + $2 \times 1:4$ Splitter Grey |
| 948-044 | Excel Encasa 48 Fibre Distribution Point with 12 LCA Connections $+ 3x 1:4$ Splitter Black |
| 948-045 | Excel Encasa 48 Fibre Distribution Point with 12 LCA Connections + $3x$ 1:4 Splitter Grey |
| 948-046 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + $4x$ 1:4 Splitter Black |
| 948-047 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + $4x$ 1:4 Splitter Grey |
| 948-048 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections $+\ 6x\ 1:4$ Splitter Black |
| 948-049 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections + $6x 1:4$ Splitter Grey |
| 948-050 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 8x 1:4 Splitter Black |
| 948-051 | Excel Encasa 48 Fibre Distribution Point with 36 LCA Connections + $9x 1:4$ Splitter Black |
| 948-052 | Excel Encasa 48 Fibre Distribution Point with 36 LCA Connections $+$ 9x 1:4 Splitter Grey |
| 948-053 | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections + $12x$ 1:4 Splitter Black |
| 948-054 | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + $1 \times 1:8$ Splitter Black |
| 948-055 | Excel Encasa 48 Fibre Distribution Point with 8 LCA Connections + $1 \times 1:8$ Splitter Grey |
| 948-056 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + $2x$ 1:8 Splitter Black |
| 948-057 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + $2x$ 1:8 Splitter Grey |
| 948-058 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections + $3x$ 1:8 Splitter Black |
| 948-059 | Excel Encasa 48 Fibre Distribution Point with 24 LCA Connections + 3x 1:8 Splitter Grey |
| 948-060 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + 4x 1:8 Splitter Black |
| 948-061 | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections + $6x 1:8$ Splitter Black |

Item Code: 948-132



| 948-062 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + $1 \times 1:16$ Splitter Black |
|---------|---|
| 948-063 | Excel Encasa 48 Fibre Distribution Point with 16 LCA Connections + $1 \times 1:16$ Splitter Grey |
| 948-064 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + $2 \times 1:16$ Splitter Black |
| 948-065 | Excel Encasa 48 Fibre Distribution Point with 48 LCA Connections + $3 \times 1:16$ Splitter Black |
| 948-066 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + $1 \times 1:32$ Splitter Black |
| 948-095 | Excel Encasa 48 Fibre Distribution Point with 32 LCA Connections + $2 \times 1:16$ Splitter Grey |
| 948-100 | Excel Encasa 48 Fibre Distribution Point with 4 SCA Connections Black |
| 948-101 | Excel Encasa 48 Fibre Distribution Point with 4 SCA Connections Grey |
| 948-102 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections Black |
| 948-103 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections Grey |
| 948-104 | Excel Encasa 48 Fibre Distribution Point with 12 SCA Connections Black |
| 948-105 | Excel Encasa 48 Fibre Distribution Point with 12 SCA Connections Grey |
| 948-106 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections Black |
| 948-107 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections Grey |
| 948-108 | Excel Encasa 48 Fibre Distribution Point with 24 SCA Connections Black |
| 948-109 | Excel Encasa 48 Fibre Distribution Point with 24 SCA Connections Grey |
| 948-110 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections Black |
| 948-111 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections Grey |
| 948-124 | Excel Encasa 48 Fibre Distribution Point with 4 SCA Connections + $1 \times 1:4$ Splitter Black |
| 948-125 | Excel Encasa 48 Fibre Distribution Point with 4 SCA Connections + $1 \times 1:4$ Splitter Grey |
| 948-126 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections + $2x$ 1:4 Splitter Black |
| 948-127 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections + $2x$ 1:4 Splitter Grey |
| 948-128 | Excel Encasa 48 Fibre Distribution Point with 12 SCA Connections + 3x 1:4 Splitter Black |
| 948-129 | Excel Encasa 48 Fibre Distribution Point with 12 SCA Connections $+$ 3x 1:4 Splitter Grey |
| 948-130 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections + 4x 1:4 Splitter Black |
| | |

Item Code: 948-132



| 948-131 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections $+\ 4x\ 1:4$ Splitter Grey |
|---------|---|
| 948-132 | Excel Encasa 48 Fibre Distribution Point with 24 SCA Connections $+$ 6x 1:4 Splitter Black |
| 948-133 | Excel Encasa 48 Fibre Distribution Point with 24 SCA Connections + $6x 1:4$ Splitter Grey |
| 948-134 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + $8 \times 1:4$ Splitter Black |
| 948-135 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + $8 \times 1:4$ Splitter Grey |
| 948-136 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections + 1×1 :8 Splitter Black |
| 948-137 | Excel Encasa 48 Fibre Distribution Point with 8 SCA Connections + 1×1 :8 Splitter Grey |
| 948-138 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections + $2 \times 1:8$ Splitter Black |
| 948-139 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections + $2 \times 1:8$ Splitter Grey |
| 948-140 | Excel Encasa 48 Fibre Distribution Point with 24 SCA Connections + $3 \times 1:8$ Splitter Black |
| 948-141 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + $4 \times 1:8$ Splitter Black |
| 948-142 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + $4 \times 1:8$ Splitter Grey |
| 948-143 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections + $1 \times 1:16$ Splitter Black |
| 948-144 | Excel Encasa 48 Fibre Distribution Point with 16 SCA Connections + $1 \times 1:16$ Splitter Grey |
| 948-145 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + $2 \times 1:16$ Splitter Black |
| 948-146 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections $+\ 2x\ 1:16$ Splitter Grey |
| 948-147 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + $1x$ 1:32 Splitter Black |
| 948-148 | Excel Encasa 48 Fibre Distribution Point with 32 SCA Connections + $1 \times 1:32$ Splitter Grey |
| | |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.