


# Excel 4 Core Flat MOD Wiring Cable x 1m

Item Code: MOD4F

**excel**  
without compromise.



✕ Flat Construction,

✕ Flexible Multicore

✕ Cut to Length Service

✕ Satin Silver Colour

✕ 25 Year system warranty

## Product Overview

The Excel range of multicore flexible cables have conductors laid side by side and are ideal for use as patch leads, for low speed data or voice applications. The conductors are stranded 26 AWG PVC insulated, with a silver satin PVC outer sheath.

## Product Specifications

| Feature  | Values                   |
|--|--------------------------|
| AWG size   | 26                       |
| Conductor category   | Class 2 = stranded       |
| Total number of cores  | 4                        |
| Overall screening  | None                     |
| Conductor screening  | None                     |
| Core insulation  | Polypropylene compound   |
| Specification core insulation  | Polypropylene (PP)       |
| Core identification  | Colour                   |
| Outer sheath material  | Polyvinyl chloride (PVC) |
| Outer sheath colour  | Grey                     |
| Cable geometry   | Flat                     |
| Cable width approx.  | 5 mm                     |
| Cable height approx.   | 2.5 mm                   |
| Min. permitted bending radius, stationary application/permanent installation | 25 mm                    |

# Excel 4 Core Flat MOD Wiring Cable x 1m




Item Code: MOD4F

Operating Temperature Range -15...70 °C

### Additional specifications

| Features                            | Values   |
|-------------------------------------|--|
| Conductor Material                  | Stranded Plain Annealed Copper Wire  |
| Colour Code                         | A: Grey, B: Brown, C: Yellow, D: Green, E: Red, F: Black, G: Orange, H: Blue |
| Nominal Insulated                   | Conductor Diameter. 0.95mm   |
| Max. Conductor DC Resistance @ 20°C | 127.5Ω/km  |
| Voltage Test                        | Core to Core 1000V a.c./1min   |

### Product drawings



### Standards

| Applicable standard                        | Detail  |
|--|---|
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| WFD: 2023                                  | Compliant to Waste Framework Directive  |
| SCIP: 2023                                 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products)   |
| POPs (EU) No 2019/1021                     | EU Regulation for the restriction of Persistent Organic Pollutants.   |

# Excel 4 Core Flat MOD Wiring Cable x 1m

Item Code: MOD4F



## Part Number Table

| Part Number | Description                             |
|-------------|---|
| MOD4F       | Excel 4 Core Flat MOD Wiring Cable x 1m |
| MOD6F       | 6 Core Flat MOD Wiring Cable x 1m       |
| MOD8F       | 8 Core Flat MOD Wiring Cable x 1m       |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.