Excel Cat6 (UTP) Unscreened 3 in 1 Assembly 3 Modules in a Single Gang Bevelled Plate

Item Code: 100-432









- X Category 6
- X High Density Design
- X LSA compatible IDC
- X Individual port slide labelling system
- X Supports Gigabit Ethernet
- X 25 Year system warranty
- X CIBSE TM65 Embodied Carbon: 0.002 kg CO2e

Product Overview

Excel Category 6 3 in 1 sets (3 shuttered RJ45 modules complete with bevelled single gang faceplates) offer the ultimate in flexibility, space utilisation and ease of installation.

The unique design means that you only load shuttered outlets as required, any capacity within the plate which is required for a later date is simply blanked off, providing a neat and easy to use completed installation. Individual port labelling is also quick and easy with standard Excel outlet slide in fields incorporated into the design.

Product Specifications

| Feature | Values |
|--|-----------|
| Surface mounted | yes |
| Flush-mounted installation | yes |
| Type of fastening | Screwing |
| Type of connector | RJ45 8(8) |
| With outlets / modules | yes |
| Suitable for number of outlets / modules | 3 |
| Category | 6 |
| Colour | White |


Excel Cat6 (UTP) Unscreened 3 in 1 Assembly 3 Modules in a Single Gang Bevelled Plate


Item Code: 100-432





| RAL-numb | er | 9016 |
|-------------|--------|-------|
| Connection | ntype | LSA |
| Shielded h | ousing | no |
| With label | space | yes |
| Colour cod | ing | yes |
| Width of de | evice | 85 mm |
| Height of d | levice | 85 mm |


Product drawing











Excel Cat6 (UTP) Unscreened 3 in 1 Assembly 3 Modules in a Single Gang Bevelled Plate

Item Code: 100-432



Standards

| Applicable standard | Detail |
|---|--|
| ISO/IEC 11801:2011 (Ed 2.2) | Information technology - Generic cabling for customer premises |
| IEC 61156-5:2012 (Ed 2.1) | Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification |
| EN 50173-1:2018 | Information technology. Generic cabling systems - General requirements |
| EN 50173-2:2007 including amendment A1:2010 | Information technology. Generic cabling systems - Office premises |
| ANSI/TIA 568-C:2009 | Balanced Twisted-Pair Telecommunications Cabling and Components Standards |
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| WFD: 2023 | Compliant to Waste Framework Directive |
| SCIP: 2023 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products) |
| POPs (EU) No 2019/1021 | EU Regulation for the restriction of Persistent Organic Pollutants. |

Part Number Table

| Part Number | Description |
|-------------|--|
| 100-411 | Excel Cat5e (UTP) Unscreened 3 in 1 Assembly 3 Modules in a Single Gang Bevelled Plate |
| 100-432 | Excel Cat6 (UTP) Unscreened 3 in 1 Assembly 3 Modules in a Single Gang Bevelled Plate |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.