


# Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Blue

Item Code: 100-512

excel  
without compromise.



Cat6A compliant

Specified to 500 MHz

Suitable for 10 Gigabit ethernet application

EC verified

Blade style 'slimline' moulded strain relief boot with clip protector

LSOH outer sheath

CIBSE TM65 Embodied Carbon: 1.149 kg CO2e

## Product Overview

Excel Category 6A (Augmented Category 6) patch leads consist of 4 twisted pairs of 26 AWG stranded copper wires. These pairs are then cabled together, with different lay lengths to ensure optimum performance.

Staggered pin RJ45 plugs terminate the cable, and each lead is fitted with colour coded slimline moulded boots, suitable for use in high density router or switch blades.

## Product Specifications

| Feature                        | Values    |
|--------------------------------|-----------|
| Cable type                     | U/UTP     |
| Category                       | 6A (IEC)  |
| Length                         | 5 m       |
| Type of connector connection 1 | RJ45 8(8) |
| Type of connector connection 2 | RJ45 8(8) |
| Outer sheath colour            | Blue      |


# Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Blue

Item Code: 100-512

**excel**  
without compromise.

|                           |            |
|---------------------------|------------|
| Strain relief boot        | Moulded-on |
| Lockable                  | no         |
| Strain relief boot colour | Blue       |
| Flame retardant version   | yes        |
| Cable construction        | 1x4        |
| AWG-size                  | 26         |
| Pin assignment            | 1:1        |

## Product drawing



- ① 4 pair individually unshielded LSOH cable
- ② RJ45 connector with 50µm gold plated staggered pins
- ③ Slimline blade style strain relief boot

## Standards

| Applicable standard            | Detail   |
|--------------------------------|--|
| ISO/IEC 11801-1:2017           | Information technology - Generic cabling for customer premises: Part 1 General Requirements  |
| EN 50173-1:2018                | Information technology. Generic cabling systems - General requirements   |
| ANSI/TIA 568-2.D               | Balanced Twisted-Pair Telecommunications Cabling and Components Standards  |
| IEC 61156-5:2009+AMD1:2012 CSV | Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification |
| IEC 60332-1-2:2004             | Tests on electric and optical fibre cables under fire  |

# Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Blue

Item Code: 100-512



conditions. Test for vertical flame propagation for a single insulated wire or cable. Procedure for 1 kW pre-mixed flame

|                                    |  |
|------------------------------------|--|
| IEC 61034-2:2005+A1:2013           | Measurement of smoke density of cables burning under defined conditions – Part 2: Test procedure and requirements  |
| Directive 2011/65/EU (RoHS II)     | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).   |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.   |
| Directive 2008/98/EC (WFD)         | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).   |
| ECHA SCIP Database                 | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.  |
| Regulation (EU) 2019/1021 (POPs)   | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).   |
| UK SI 2012 No. 3032                | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

## Part Number Table

| Part Number | Description  |
|-------------|--|
| 100-500     | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 1 m Grey |
| 100-501     | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 2 m Grey |
| 100-502     | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Grey |
| 100-503     | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Grey |
| 100-509     | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 1 m Blue |
| 100-510     | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 2 m Blue |
| 100-511     | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Blue |
| 100-512     | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Blue |
| 100-519     | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 1 m Red  |

# Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Blue

Item Code: 100-512



|         |  |
|---------|--|
| 100-520 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 2 m Red    |
| 100-521 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Red    |
| 100-522 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Red    |
| 100-529 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 1 m Yellow |
| 100-530 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 2 m Yellow |
| 100-531 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Yellow |
| 100-532 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Yellow |
| 100-539 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 1 m Green  |
| 100-540 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 2 m Green  |
| 100-541 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 3 m Green  |
| 100-542 | Excel Cat6A Patch Lead U/UTP Unshielded LSOH Blade Booted 5 m Green  |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.