

# Excel Cat6 Flat Patch Lead U/UTP Unshielded LSOH Blade Booted 0.5 m Black

Item Code: 100-662

**excel**  
without compromise.



Category 6

Ideal for residential systems

Flat cable construction

LSOH outer sheath as standard

Individually packaged

## Product Overview

Excel Category 6 U/UTP patch leads provide optimum performance levels for residential cabling.

The flat construction combined with slimline moulded boots make them ideal for the confined spaces within residential cabling system cabinets.

## Product Specifications


Feature	Values
Cable type	U/UTP
Category	6
Length	0.5 m
Type of connector connection 1	RJ45 8(8)
Type of connector connection 2	RJ45 8(8)
Outer sheath colour	Black
Strain relief boot	Moulded-on
Lockable	no
Strain relief boot colour	Black
Flame retardant version	yes
Cable construction	1x4
AWG-size	28
Pin assignment	1:1

# Excel Cat6 Flat Patch Lead U/UTP Unshielded LSOH Blade Booted 0.5 m Black

Item Code: 100-662

**excel**  
without compromise.

## Product drawing



- ① 4 pair unshielded LSOH cable
- ② RJ45 connector with 50µm gold plated staggered pins
- ③ Slimline blade style strain relief boot

## Standards

Applicable standard	Detail
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
ANSI/TIA 568-2.D	Balanced Twisted-Pair Telecommunications Cabling and Components Standards
IEC 61156-5:2009+AMD1:2012 CSV	Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification
IEC 60332-1-2:2004	Tests on electric and optical fibre cables under fire conditions. Test for vertical flame propagation for a single insulated wire or cable. Procedure for 1 kW pre-mixed flame
IEC 61034-2:2005+A1:2013	Measurement of smoke density of cables burning under defined conditions - Part 2: Test procedure and requirements
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances

# Excel Cat6 Flat Patch Lead U/UTP Unshielded LSOH Blade Booted 0.5 m Black

Item Code: 100-662



	of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

## Part Number Table

Part Number	Description
100-660	Excel Cat6 Flat Patch Lead U/UTP Unshielded LSOH Blade Booted 0.2 m Black
100-661	Excel Cat6 Flat Patch Lead U/UTP Unshielded LSOH Blade Booted 0.25 m Black
100-662	Excel Cat6 Flat Patch Lead U/UTP Unshielded LSOH Blade Booted 0.5 m Black

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.