


Excel Single Gang 4-Port Keystone Flat Faceplate



Item Code: 100-705



4 x RJ45 Keystone Jack Ports

Spring Loaded Shutters

Designated Label Holders

Supplied with Fixing Screws

Product Overview

This Excel Faceplate Range is suitable for the Excel Category 5e, 6 and 6A Keystone jacks including the toolless jacks. The outlet allows up to 4 Keystone jacks to be installed into an 86mm x 86mm footprint. Each outlet has a designated labelling field for clear identification.

The spring loaded shutters over each port protect from dust and foreign objects. This gives a higher port count than traditional outlets and is ideal for floor or wall mounted applications.

Product Specifications


Feature	Values
Number of units	4
Number of units horizontal	2
Number of units vertical	2
Flush-mounted installation	yes
Suitable for floor box	yes
Label space/information surface	yes
Material	Thermoplastic
Colour	White
RAL-number (akin)	9003
Type of fastening	Screw mounting
Width	86 mm
Height	86 mm

Item Code: 100-705

Additional specifications

Features	Values
Material	ABS UL94-V0
Operating Temperature	-10 °C to + 60 °C
Storage Temperature	-40 °C to + 70 °C

Product drawing



Standards

Applicable standard	Detail
BS EN 60670-1:2005 + A1:2013	Boxes and enclosures for electrical accessories for household and similar fixed electrical installations general requirements
BS EN 61340-5-1:2007	Protection of electronic devices from electrostatic phenomena. General requirements apply to activities that: manufacture, process, assemble, install, package, label, service, test, inspect, transport or otherwise handle electrical or electronic parts, assemblies and equipment susceptible to damage by electrostatic discharges greater than or equal to 100 V human body model (HBM).
BS EN 60529:1992+A2:2013	Degrees of Protection provided by Enclosures (IP CODE)

Excel Single Gang 4-Port Keystone Flat Faceplate



Item Code: 100-705

UL-94-V-0	Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. No flaming drips are allowed.
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
EN 50173-2:2007 + A1:2010	Information technology. Generic cabling systems - Office premises
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

Part Number Table

Part Number	Description
100-705	Excel Single Gang 4-Port Keystone Flat Faceplate

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.