

Excel Enbeam LC/APC Quad OS2 Singlemode Flanged Adaptor Green (6-Pack)

Part Code: 200-357-06

sales@excel-networking.com
excel-networking.com



Main Features

- / 25 year system warranty
- / Dust caps included
- / Plastic free packaging
- / Singlemode & Multimode
- / SC, LC versions

Product Overview

Excel Enbeam fibre optic adaptors have been designed to present a range of optic fibre connectors. The adaptors are constructed to allow fitting in the bulkheads with screws. The housings are manufactured from a range of plastics and metals selected to provide the optimum performance.

Product Specifications

| Feature | Values |
|---------|--------|
|---------|--------|

Excel Enbeam LC/APC Quad OS2 Singlemode Flanged Adaptor Green (6-Pack)

Part Code: 200-357-06

sales@excel-networking.com
excel-networking.com


| | |
|--------------------------------|--------------------|
| Suitable for type of fibre | Single mode |
| Type of connector connection 1 | LC-Quad |
| Type of connector connection 2 | LC-Quad |
| Material housing | Plastic |
| Type of fastening | Screw |
| APC-type | yes |

Excel Enbeam LC/APC Quad OS2 Singlemode Flanged Adaptor Green (6-Pack)

Part Code: 200-357-06

sales@excel-networking.com
excel-networking.com

Product drawing



Excel Enbeam LC/APC Quad OS2 Singlemode Flanged Adaptor Green (6-Pack)

Part Code: 200-357-06

sales@excel-networking.com
excel-networking.com

Additional specifications

| Features | Values |
|-------------------------|----------------------------|
| Insertion Loss | < 0.2 dB |
| Durability (500 Mating) | 0.2 dB Max Increase |
| Operating Temperature | -40°C to +80°C |
| Retention Force | 200 – 600 grams |

Standards

| Applicable standard | Detail |
|------------------------------------|--|
| IEC 61300-2-22 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures Change of temperature |
| IEC 61300-3-4:2012 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures Attenuation |
| IEC 61300-2-2 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures Mating durability |
| IEC 61754-20:2012 | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 20: Type LC connector family |
| Directive 2011/65/EU (RoHS II) | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states). |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant. |
| Directive 2008/98/EC (WFD) | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) |

Excel Enbeam LC/APC Quad OS2 Singlemode Flanged Adaptor Green (6-Pack)

Part Code: 200-357-06

sales@excel-networking.com
excel-networking.com

Regulations 2011 (SI 2011 No. 988).

| | |
|----------------------------------|--|
| ECHA SCIP Database | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH. |
| Regulation (EU) 2019/1021 (POPs) | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355). |
| UK SI 2012 No. 3032 | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |

Part Code Table

| Part Code | Description |
|------------|--|
| 200-357-06 | Excel Enbeam LC/APC Quad OS2 Singlemode Flanged Adaptor Green (6-Pack) |