

# Excel Enbeam 19" 24 Port Tube Distribution Panel for 5 mm Blown Tube

Item Code: 200-949

**excel**  
without compromise.



19" Rack mountable

24 Tube positions

Vertical or horizontal options

Compatible with Enbeam 5 mm pushfit bulkhead connector

CIBSE TM65 Embodied Carbon: 2.290 kg CO2e

## Product Overview

The Enbeam range of tube distribution panels have been designed for use with the Enbeam blown fibre system microduct. These panels allows up to 48 x 5mm tubes to be connected and redistributed within the network. The straight through couplers can be fitted to requirements as the system grows.

## Product Specifications

Feature	Values
Colour	Black
RAL-number	9005
Mounting method	482.6 mm (19 inch) mounting
Number of rack units (RU)	1
Height	43.8 mm
Width	482 mm
Depth	39 mm

# Excel Enbeam 19" 24 Port Tube Distribution Panel for 5 mm Blown Tube


Item Code: 200-949



## Additional specifications

Features	Values
Operating Temperature	-40 to +80 °C
Material	Cold rolled steel
Material Thickness	1.5 mm
Material Coating	Powder Coating

## Product drawing



## Included accessories

Accessories	Quantity
cage nut and bolt	4

# Excel Enbeam 19" 24 Port Tube Distribution Panel for 5 mm Blown Tube

Item Code: 200-949



## Standards

Applicable standard	Detail
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

## Part Number Table

Part Number	Description
200-949	Excel Enbeam 19" 24 Port Tube Distribution Panel for 5 mm Blown Tube

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.