


# Excel Enbeam High Density 12 Port 24 Fibre OM3 LC-MTP Fibre Cassette

Part Code: 208-012

sales@excel-networking.com  
excel-networking.com

CIBSE TM65 Embodied Carbon: 1.786 kg CO2e



## Main Features

- / LC to MTP Factory terminated and tested
- / Available in 6 and 12 Duplex LC (12 and 24 core)
- / Fits both 4-way angled and 5-way straight 1U patch panels
- / Choice of fibre grades
- / US Conec MTP Elite Connectors
- / 25 Year system warranty

## Product Overview

The Excelerator High Density 6 Duplex LC Fibre Optic MTP Cassette mounts directly into the Enbeam Fibre Optic Cassette Patch Panel for mounting into a 19" cabinet. This range of products have been designed and manufactured to support both the preterminated and the emerging 40/100 Gigabit Ethernet fibre optic installations. The cassettes are terminated with the superior quality US Conec Elite MTP connector. The 6 Duplex Port cassette has one MTP Elite connector on the rear.

These cassette patch panels allow for the ability to expand the installation in the future with very low risk to the installed network. These patch panels also allows different categories of fibre optics to be presented together in the same cabinet 'U' space.

# Excel Enbeam High Density 12 Port 24 Fibre OM3 LC-MTP Fibre Cassette

Part Code: 208-012

sales@excel-networking.com  
excel-networking.com

## Product Specifications

| Feature                            | Values            |
|------------------------------------|-------------------|
| Suitable for number of fibre cores | <b>24</b>         |
| With coupling/adapter              | <b>yes</b>        |
| Type of connector external         | <b>LC-Duplex</b>  |
| Type of connector interior         | <b>MT/MPO</b>     |
| Fibre type                         | <b>Multi mode</b> |
| APC-type                           | <b>no</b>         |
| Colour                             | <b>Black</b>      |

## Additional specifications


| Features             | Values                   |
|----------------------|--------------------------|
| Width                | <b>76mm</b>              |
| Height               | <b>38mm</b>              |
| Depth                | <b>97.5mm</b>            |
| IP rating            | <b>IP20</b>              |
| Material Thickness   | <b>1.2mm</b>             |
| Material             | <b>cold rolled steel</b> |
| Operating temprature | <b>-40 to +80 °C</b>     |

# Excel Enbeam High Density 12 Port 24 Fibre OM3 LC-MTP Fibre Cassette

Part Code: 208-012

sales@excel-networking.com  
excel-networking.com

## Product drawings



## Standards

| Applicable standard  | Detail   |
|----------------------|--|
| IEC 61754-1:2013     | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance |
| ISO/IEC 11801-1:2017 | Information technology - Generic cabling for customer premises: Part 1 General Requirements                                  |
| EN 50173-1:2018      | Information technology. Generic cabling systems - General requirements   |

# Excel Enbeam High Density 12 Port 24 Fibre OM3 LC-MTP Fibre Cassette

Part Code: 208-012

sales@excel-networking.com  
excel-networking.com

|                                    |  |
|------------------------------------|--|
| Directive 2008/98/EC (WFD)         | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).   |
| ECHA SCIP Database                 | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.  |
| Regulation (EU) 2019/1021 (POPs)   | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).   |
| Directive 2011/65/EU (RoHS II)     | Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).   |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.   |
| Directive (EU) 2015/863 (RoHS III) | Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.   |
| UK SI 2012 No. 3032                | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019. |
| Directive 2008/98/EC (WFD)         | Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).   |
| ECHA SCIP Database                 | Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.  |
| Regulation (EU) 2019/1021 (POPs)   | EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).   |
| UK SI 2012 No. 3032                | The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great   |

# Excel Enbeam High Density 12 Port 24 Fibre OM3 LC-MTP Fibre Cassette

Part Code: 208-012

sales@excel-networking.com  
excel-networking.com

Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

## Part Code Table

| Part Code        | Description  |
|------------------|--|
| 208-011          | Excel Enbeam High Density 6 Port 12 Fibre LC-MTP OM3 Fibre Cassette              |
| 208-011-MOD1     | Excel Enbeam High Density OM3 MTP Fibre Cassette 6 Duplex LC (12 Core)           |
| 208-011-MOD2     | Excel Enbeam High Density 6 Port 12 Fibre LC-MTP OM3 Fibre Cassette (MOD2)       |
| 208-012          | Excel Enbeam High Density 12 Port 24 Fibre OM3 LC-MTP Fibre Cassette             |
| 208-012-MOD1     | Excel Enbeam High Density 12 Port 24 Fibre OM3 LC-MTP Fibre Cassette (MOD1)      |
| 208-012-MOD2     | Excel Enbeam High Density 12 Port 24 Fibre OM3 LC-MTP Fibre Cassette (MOD2)      |
| 208-013          | Excel Enbeam High Density 6 Port 12 Fibre LC-MTP OM4 Fibre Cassette              |
| 208-013-MOD1     | Excel Enbeam High Density 6 Port 12 Fibre LC-MTP OM4 Fibre Cassette (MOD1)       |
| 208-013-MOD2     | Excel Enbeam High Density OM4 MTP Fibre Cassette 6 Duplex LC (12 Core)           |
| 208-014          | Excel Enbeam High Density 12 Port 24 Fibre OM4 LC-MTP Fibre Cassette             |
| 208-014-MOD1     | Excel Enbeam High Density 12 Port 24 Fibre OM4 LC-MTP Fibre Cassette (MOD1)      |
| 208-014-MOD2     | Excel Enbeam High Density 12 Port 24 Fibre OM4 LC-MTP Fibre Cassette (MOD2)      |
| 208-015-APC      | Excel Enbeam High Density 6 Port 12 Fibre LC-MTP (APC) OS2 Fibre Cassette        |
| 208-015-APC-MOD1 | Excel Enbeam High Density 6 Port 12 Fibre LC-MTP (APC) OS2 Fibre Cassette (MOD1) |
| 208-015-APC-MOD2 | Excel Enbeam High Density OS2 (APC) MTP Fibre Cassette 6 Duplex LC (12           |

# Excel Enbeam High Density 12 Port 24 Fibre OM3 LC-MTP Fibre Cassette



Part Code: 208-012

sales@excel-networking.com  
excel-networking.com

## Core)

|                  |   |
|------------------|---|
| 208-016-APC      | Excel Enbeam High Density 12 Port 24 Fibre OS2 LC-MTP (APC) Fibre Cassette        |
| 208-016-APC-MOD1 | Excel Enbeam High Density 12 Port 24 Fibre OS2 LC-MTP (APC) Fibre Cassette (MOD1) |
| 208-016-APC-MOD2 | Excel Enbeam High Density OS2 (APC) MTP Fibre Cassette 12 Duplex LC (24 Core)     |