

# Excel Enbeam High Density 12 Port MTP Coupler Cassette Key Up/Key Down Singlemode

Item Code: 208-138

**excel**  
without compromise.



High Density 12-port MTP Coupler Module

Houses 12 MTP Couplers

Key-Aligned and Key-Up/Key-Down Adaptor options

Density up to 864 fibres in 1U when fully loaded

Up to 1728 fibres in 1U with 24-fibre MTPs

Part of the Excel HD panel system

## Product Overview

The Excel LC-MTP High-Density 12-Port through-coupler module is designed for the Excel HD 1U panel, which has a capacity for 6 modules, offering up to 864 fibres per 1U (12-way MTP) or 1728 fibres per 1U (24-way MTP).

The MTP Modules can be mixed and matched with other cassettes within the range to offer a highly flexible patching solution. Two versions are available, the Multimode version features Aligned-Key adaptors, whilst the Singlemode version supports angled MTP and offers Key-Up/Key-Down Adaptors.

The Modules can be inserted into the panel from the front and feature 2 physical stops, one installed and one for patching.

The panel also offers full and innovative patch cord management to the front and cable management to the rear.

## Product Specifications

Feature	Values
Suitable for number of fibre cores	144
With coupling/adaptor	yes
Type of connector external	MT/MPO
Type of connector interior	MT/MPO
Fibre type	Single mode

# Excel Enbeam High Density 12 Port MTP Coupler Cassette Key Up/Key Down Singlemode

Item Code: 208-138


**excel**  
without compromise.

Colour Grey

## Additional specifications

Features	Values
Number of MTP	12
Width	212.8mm
Height	12.4mm
Depth	287.3mm
Material	ABS UL94-V0
Colour	Grey
Operating temperature	-40 to +80 °C

## Product drawing



# Excel Enbeam High Density 12 Port MTP Coupler Cassette Key Up/Key Down Singlemode

Item Code: 208-138



## Standards

Applicable standard	Detail
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).
Directive 2011/65/EU (RoHS II)	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment — compliant. Applies within EU member states).
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
Directive (EU) 2015/863 (RoHS III)	Amending Directive 2011/65/EU to add four phthalates (DEHP, BBP, DBP, DIBP) to Annex II — compliant.
UK SI 2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.
Directive 2008/98/EC (WFD)	Waste Framework Directive — compliant. Implemented in the UK through the Waste (England and Wales) Regulations 2011 (SI 2011 No. 988).
ECHA SCIP Database	Compliant; product does not contain SVHCs (Substances of Very High Concern) as defined under REACH Article 33(1). Submission obligations met under EU REACH and UK REACH.
Regulation (EU) 2019/1021 (POPs)	EU Regulation on Persistent Organic Pollutants — compliant. For Great Britain, compliance is aligned with the Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020 (SI 2020 No. 1355).

# Excel Enbeam High Density 12 Port MTP Coupler Cassette Key Up/Key Down Singlemode

Item Code: 208-138



UK SI 2012 No. 3032

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (UK RoHS) — compliant for Great Britain. Retained EU law, as amended by the Product Safety and Metrology (Amendment etc.) (EU Exit) Regulations 2019.

## Part Number Table

Part Number	Description
208-137	Excel Enbeam High Density 12 Port MTP Coupler Cassette Aligned Key Multimode
208-138	Excel Enbeam High Density 12 Port MTP Coupler Cassette Key Up/Key Down Singlemode

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at [sales@excel-networking.com](mailto:sales@excel-networking.com)



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.