

Excel Enbeam 240 mm Fibre Cable Tray UL94 V-0
PVC

Item Code: 460-049



✕ UL94 V-0 PVC

✕ Extremely adaptable, will evolve to suit this demanding market

✕ Easy to assemble

✕ Fast installation, minimum labour

✕ Choice of width: 120/240 mm

Product Overview

Enbeam Yellow Duct System: Piecing together in individual segments, Excel’s duct trunking system is flexible and suitable for an endless array of installations. A range of unique trunking segments in a variety of bend radii and lengths connect together in an infinite number of ways, allowing users to create a fibre storage solution that is fit for purpose. As each segment of trunking is a standalone piece of plastic, users can simply remove the section of the cover that they need and make changes to the installation without having to disrupt the whole system, which increases the durability and longevity of the system overall. The system is fully enclosed, protecting the fibre from dirt and dust. Knowing that cleanliness is one of the most important factors when installing fibre optic cable, the fact that this trunking system helps to limit the contamination to the fibre makes it a strong contender for users choosing a trunking option.

Product Specifications

| Feature | Values |
|--------------------------------|--------------------------|
| Height | 100 mm |
| Width | 240 mm |
| Length | 2000 mm |
| With cover | no |
| Side wall perforation | no |
| Mounting perforation in bottom | no |
| NATO-mounting holes | no |
| Model | Without connector |
| Material | Plastic |
| Material quality | Polyvinyl chloride (PVC) |

Excel Enbeam 240 mm Fibre Cable Tray UL94 V-0 PVC

Item Code: 460-049



Colour

Yellow

Standards

| Applicable standard | Detail |
|--|---|
| RoHS-II/-III (2011/65/EU & 2015/863): 2023 | Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III). |
| WFD: 2023 | Compliant to Waste Framework Directive |
| SCIP: 2023 | Compliant - Does Not Contain Substances of Concern In articles as such or in complex objects (Products) |
| POPs (EU) No 2019/1021 | EU Regulation for the restriction of Persistent Organic Pollutants. |

Part Number Table

| Part Number | Description |
|-------------|--|
| 460-001 | Excel Enbeam 120 mm Fibre Cable Tray LSOH |
| 460-002 | Excel Enbeam 240 mm Fibre Cable Tray LSOH |
| 460-003 | Excel Enbeam 120 mm Connector LSOH |
| 460-004 | Excel Enbeam 240 mm Connector LSOH |
| 460-005 | Excel Enbeam 240 mm to 120 mm Connector LSOH |
| 460-006 | Excel Enbeam 120 mm Horizontal 90 Degree Bend LSOH |
| 460-007 | Excel Enbeam 240 mm Horizontal 90 Degree Bend LSOH |
| 460-008 | Excel Enbeam 120 mm Internal Riser 45 Degree LSOH |
| 460-009 | Excel Enbeam 240 mm Internal Riser 45 Degree LSOH |
| 460-010 | Excel Enbeam 120 mm External Riser 45 Degree LSOH |
| 460-011 | Excel Enbeam 240 mm External Riser 45 Degree LSOH |
| 460-012 | Excel Enbeam 120 mm Horizontal 45 Degree Bend LSOH |
| 460-013 | Excel Enbeam 240 mm Horizontal 45 Degree Bend LSOH |
| 460-014 | Excel Enbeam 120 mm Horizontal TEE LSOH |
| 460-015 | Excel Enbeam 240 mm Horizontal TEE LSOH |
| 460-016 | Excel Enbeam 240 mm to 120 mm Reducer TEE LSOH |
| 460-017 | Excel Enbeam 240 mm to 120 mm Vertical TEE LSOH |

Excel Enbeam 240 mm Fibre Cable Tray UL94 V-0 PVC

Item Code: 460-049



| | |
|---------|---|
| 460-018 | Excel Enbeam 120 mm Cross Junction LSOH |
| 460-019 | Excel Enbeam 240 mm Cross Junction LSOH |
| 460-020 | Excel Enbeam 120 mm Bend Radius Trumpet End LSOH |
| 460-021 | Excel Enbeam 240 mm Bend Radius Trumpet End LSOH |
| 460-022 | Excel Enbeam 120 mm End Cap LSOH |
| 460-023 | Excel Enbeam 240 mm End Cap LSOH |
| 460-024 | Excel Enbeam Universal Exit Kit with Flexible Tube LSOH |
| 460-025 | Excel Enbeam Universal Exit Kit for Trunking Drop 120 mm LSOH |
| 460-026 | Excel Enbeam 120 mm Hanging Bar |
| 460-027 | Excel Enbeam 240 mm Hanging Bar |
| 460-028 | Excel Enbeam 120 mm L Bracket |
| 460-029 | Excel Enbeam 240 mm L Bracket |
| 460-030 | Excel Enbeam 120 mm Top Stand |
| 460-031 | Excel Enbeam 240 mm Top Stand |
| 460-032 | Excel Enbeam 120 mm Trunking Cover LSOH |
| 460-033 | Excel Enbeam 240 mm Trunking Cover LSOH |
| 460-034 | Excel Enbeam 120 mm Elbow Cover 90 Degree LSOH |
| 460-035 | Excel Enbeam 240 mm Elbow Cover 90 Degree LSOH |
| 460-036 | Excel Enbeam 120 mm Internal Cover 45 Degree Bend LSOH |
| 460-037 | Excel Enbeam 240 mm Internal Cover 45 Degree Bend LSOH |
| 460-038 | Excel Enbeam 120 mm External Cover 45 Degree Bend LSOH |
| 460-039 | Excel Enbeam 240 mm External Cover 45 Degree Bend LSOH |
| 460-040 | Excel Enbeam 120 mm Horizontal Cover 45 Degree Bend LSOH |
| 460-041 | Excel Enbeam 240 mm Horizontal Cover 45 Degree Bend LSOH |
| 460-042 | Excel Enbeam 120 mm Horizontal TEE Cover LSOH |
| 460-043 | Excel Enbeam 240 mm Horizontal TEE Cover LSOH |
| 460-044 | Excel Enbeam 240 mm to 120 mm Reducer TEE Cover LSOH |
| 460-045 | Excel Enbeam 240 mm to 120 mm Vertical TEE Cover LSOH |
| 460-046 | Excel Enbeam 120 mm Cross Junction Cover LSOH |
| 460-047 | Excel Enbeam 240 mm Cross Junction Cover LSOH |
| 460-048 | Excel Enbeam 120 mm Fibre Cable Tray UL94 V-0 PVC |
| 460-049 | Excel Enbeam 240 mm Fibre Cable Tray UL94 V-0 PVC |

Excel Enbeam 240 mm Fibre Cable Tray UL94 V-0 PVC

Item Code: 460-049



| | |
|---------|--|
| 460-050 | Excel Enbeam 120 mm Trunking Cover UL94 V-0 PVC |
| 460-051 | Excel Enbeam 240 mm Trunking Cover UL94 V-0 PVC |
| 460-052 | Excel Enbeam 240 mm to 120 mm Connector Cover LSOH |
| 460-053 | Excel Enbeam 120 mm Hanging Set |
| 460-054 | Excel Enbeam 240 mm Hanging Set |
| 460-055 | Excel Enbeam 120 mm L Bracket Support |
| 460-056 | Excel Enbeam 240 mm L Bracket Support |

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.